


T H E R M O M E T R I C S
A C O M M I T M E N T T O E X C E L L E N C E

A-1996

HVAC Duct Temperature Sensor



Thermometric's duct sensors are OEM solutions for measuring the temperature of air in ventilation ducts. The temperature reading is wired to a control module, where the system compares the temperature reading to a temperature set-point and adjusts outputs accordingly.

Features

- High accuracy OEM sensor
- High Sensitivity & reliability
- Excellent interchangeability
- High Reliability
- Twist and lock installation

Applications


- HVAC vent temperature (automotive)
- In cabin temperature (automotive)
- Air Temperature
- HVAC Airflow monitoring (industrial)
- Industrial automation – Ambient environment and process monitoring

Specifications


- Part Number: A-1996
- Mating connector Delphi part number: 12047662
- Resistance at 25°C : 2,795 ohms \pm 2.50%
- Beta (25/85) : 4073
- Plastic : Nylon

Amphenol
Advanced Sensors

Application Information



A-1996 Dimensions (mm)



Nominal Resistance Ohm

Unloaded Resistance Temperature Table

Temp (°C)	Nominal Resistance Ohms	Resistance Tolerance (+/- %)
-40	100,865	4.87
-35	72,437	4.64
-30	52,594	4.43
-25	38,583	4.21
-20	28,582	4.00
-15	21,371	3.80
-10	16,120	3.60
-5	12,261	3.40
0	9,399	3.21
5	7,263	3.06
10	5,658	2.92
15	4,441	2.78
20	3,511	2.68
25	2,795	2.50
30	2,240	2.45
35	1,806	2.40
40	1,465	2.36
45	1,195	2.31
50	980.3	2.27
55	808.8	2.23
60	670.9	2.19
65	559.4	2.15
70	468.7	2.11
75	394.6	2.07
80	333.8	2.04
85	283.5	2.00

Weight	2.4 grams
Operating Temperature	-22°F to 185°F (-30°C to 85°C)
Storage Temperature	-40°F to 194°F (-40°C to 90°C)
Response Time	< 5 seconds (in oil)

Amphenol
Advanced Sensors

www.amphenol-sensors.com

© 2015 Amphenol Corporation. All Rights Reserved. Specifications are subject to change without notice.
Other company names and product names used in this document are the registered trademarks or trademarks of their respective owners.

AAS-920-667A - 12/2015