

OPTOTRONIC OTp DALI 35/220-240/700 HD

Power supplies for LED Light engines



Product features

- DALI versions available

Technical data

Electrical data

Product description	Input voltage	Nominal voltage	Mains frequency	Output voltage
OTp DALI 35/220...240/700 HD	198...264 V ¹⁾	220...240 V	50...60 Hz	120 V ²⁾

¹⁾ Permitted voltage range


²⁾ Maximum

Dimensions & weight


Product description	Length	Width	Height	Product weight
OTp DALI 35/220...240/700 HD	123.0 mm	79.0 mm	33.0 mm	260.00 g

Product description	Cable cross-section, input side
OTp DALI 35/220...240/700 HD	0.5...1.5 mm ²

Produkt Strichzeichnungen (vermasst)



Product line drawing
OTp DALI 35/220...240/700 HD



Prod.line drw, front, no dimensions
OTp DALI 35/220...240/700 HD

Product family datasheet

Temperatures

Product description	Ambient temperature range	Max.housing temperature in case of fault
OTp DALI 35/220...240/700 HD	-20...+50 °C	110 °C

Capabilities

Product description	Dimming interface	Dimming range	Maximum wiring length ECG/lamp	Dimmable
OTp DALI 35/220...240/700 HD	DALI	10...100 % ¹⁾	2.0 m	Yes

Product description	Overload protection	Overheating protection	Short-circuit protection
OTp DALI 35/220...240/700 HD	Automatic reversible	Automatic reversible	Yes

¹⁾ Turn-off by DALI possible

Certificates & standards

Product description	Type of protection
OTp DALI 35/220...240/700 HD	IP20

Equipment / Accessories

- Optional cable clamp for strain relief

Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

Download Data

File
 Addon Technical Information PrevaLED Core OTp 3545 + cable clamp

Product family datasheet

	Certificates OT VDE ENEC marks approval (G)
	Declarations of conformity Declaration of conformity OTp DALI 35220-240700 HD
	Installation/Operation notice OTp 35220-240700 HD (preliminary)
	Installation/Operation notice OPTOTRONIC OTp DALI 35 220 240 700 HD
	CAD data 3-dim PrevaLED Core OTp 3545 + cable clamp 3D

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321963413	OTp DALI 35/220...240/700 HD	Shipping carton box 20	257 mm x 78 mm x 428 mm	8.58 dm ³	5460.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.