



Smart-UPS 1000VA UPS System



The Smart-UPS 1000VA with 120V LCD from APC® safeguards your vital data in case of power loss. Its intuitive LCD interface provides clear and accurate information in multiple languages with the ability to configure ... [Full Description](#)

Dell Price **\$419.99**

[Add to Cart](#)

Usually Ships: in 1-3 days

[Free Shipping & Returns](#)

[Price Match](#)

[10% Back in Rewards*](#)

Manufacturer Part# : SMT1000 | Dell Part# : A7129776

Similar Products

You might also consider...



American Power Conversion

APC Smart-UPS 1500 LCD - UPS - AC 120 V - 1 kW - 1440 VA - RS-232, USB - output connectors: 8 - black

Dell Price .. **\$519.99**

[Add to Cart](#)

You might also consider...



Dell

[DELL Smart UPS 2200](#)

Dell Price ... **\$879.99**

[Customize It](#)

Overview

Tech Specs

Glossary And Resource

Tech Specs

Quick Specs

Device Type UPS - external

Weight 42.11 lbs

Input Voltage AC 120 V

Output Voltage AC 120 V $\pm$ 5%

Power Capacity 670 Watt / 1000 VA

Input Connectors Power NEMA 5-15

Output connectors 8 x power NEMA 5-15

Battery Lead acid

Run Time (Up To) 6.1 min at full load

Networking RS-232, USB

Dimensions (WxDxH) 6.7 in x 17.3 in x 8.5 in

Manufacturer Warranty 3 years warranty

General

Device Type UPS - external

Color Black

Power Device

UPS Technology Line interactive

Input Voltage AC 120 V

Input Voltage Range AC 82 - 144 V

Input Voltage Range (Adjustable) AC 75 - 154 V

Frequency Provided 47 - 53 / 57-63 Hz

Frequency Required 50/60 Hz

Input Connectors Power NEMA 5-15

Power Output Connectors Details 8 x power NEMA 5-15

Output Voltage AC 120 V $\pm$ 5% - 47 - 53 / 57-63 Hz

Power Capacity 670 Watt / 1000 VA

Output Waveform Sinewave

Surge Suppression Yes

Surge Response Time 0 ns

Surge Energy Rating 645 Joules

Battery

Technology	Lead acid
Run Time (Up To)	6.1 min at full load
Recharge Time	3 hours
Networking	
Remote Management Interface	RS-232, USB
Expansion / Connectivity	
Interfaces	1 x management (RS-232) - 9 pin D-Sub (DB-9) 1 x USB - 4 pin USB Type A
Expansion Slots	1 SmartSlot
Miscellaneous	
Cables Included	1 x serial cable - external 1 x USB cable - external 1 x power cable - integrated - 6 ft
Equipment Protection Value	150000 US Dollars
Features	Audible alarm, LCD display
Compliant Standards	cUL, UL 1449, UL 1778, RoHS Exemption 7b
Software / System Requirements	
Software Included	Drivers & Utilities
Manufacturer Warranty	
Service & Support	3 years warranty
Service & Support Details	- Limited warranty - 3 years - Limited warranty - batteries - 2 years
Environmental Parameters	
Min Operating Temperature	32 °F
Max Operating Temperature	104 °F
Humidity Range Operating	0 - 95%
Sound Emission	41 dBA
Dimensions & Weight	
Width	6.7 in
Depth	17.3 in
Height	8.5 in
Weight	42.11 lbs
Dimensions & Weight (Shipping)	
Shipping Width	13 in
Shipping Depth	22.8 in
Shipping Height	14.6 in
Shipping Weight	48.5 lbs

Do more with Dell

Employee and Student Discounts
PartnerDirect
Dell Outlet
TechCenter
Make a Payment

About Dell

Investors
Company Information
Corporate Social Responsibility
Customer Engagement
Careers
Dell Newsroom
Dell Technologies

Legal

Ads & Emails
Privacy Statement
Legal & Regulatory
Terms of Sale
Trademarks

Community

The Dell Community
Read Our Blog
Support Forums
Events

