

# Power Supply Products - A390, A395

13.5V and 27.0V Laboratory Power Supplies



## 13.5V and 27.0V Fixed Voltage Laboratory Power Supplies

Devlin Power offers a range of flexible laboratory power supplies, robust in operation and designed to power a wide range of equipment.

The A390 and A395 laboratory power supply units each feature fold-back over current and short circuit protection, with an over voltage crowbar protection. Output connections are via 4mm insulated screw terminals, and the 230V a.c. 50Hz is via a 3-core 1.5m mains lead.

### Technical Specification:

	MODEL A390	MODEL A395
Input Voltage	230V $\pm 10\%$	
Input Frequency	50/60 Hz	
Output Voltage	13.5V at 4A d.c.	27.0V at 2A d.c.
Output Voltage Adjustment	11.5V to 14V d.c.	22V to 28V d.c.
Line Regulation	$\pm 0.1\%$	
Load Regulation	$\pm 0.1\%$	
Ripple and Noise	10mV r.m.s.	20mV r.m.s.
Dimensions	100 x 130 x 270mm	
Weight	4.0 Kg	

EMS Product Lines Available From Devlin Power  
 A390 / A395 / A400 / A405 / D437  
 D438 / D439 / E270 / E271 / 8878



**DEVLIN**  
POWER

Devlin Electronics Limited  
 Unit D1, Grafton Way, BASINGSTOKE, Hampshire RG22 6HZ, UK  
 Tel: +44(0)1256 467367 Fax: +44(0)1256 840048  
 Email: sales@devlincomponents.co.uk Web site: www.devlin.co.uk

DL4516900

**DEVLINGROUP**  
DEVLIN ELECTRONICS LIMITED