Eaton logo (/us/en-us.html)



9SX1500G

Eaton 9SX online, extended runtime UPS, 1500 VA, 1350 W, 208V, C14 input, Outputs: (8) C13, 9.9"Hx6.3"Wx17.1"D, 41.9 lb., network card optional List price \$1,839

* List Prices are not a reflection of the actual product Street Price. Check with your Eaton reseller or partner to get actual pricing

Contact me about this product (/content/eaton/us/en-us/support /backup-power-ups-surge-it-power-distribution/contact-me-pq.html /content/eaton/us/en-us/catalog/backup-power-ups-surge-it-powerdistribution/eaton-9sx-ups.SKUID.9SX1500G)

☑ View StorageReview.com review (https://www.storagereview.com /eaton_9sx3000_ups_review)

☑ View the runtime graph (http://eg.eaton.com/ups-battery-runtime /en-us/9SX1500G)



Need product support?

Contact me

Phone: (800) 356-5737 (_tel_1-800-356-5737)

Or visit our tech support knowledge base (http://pqcustomersupport.eaton.com/)

Specifications

GENERAL SPECIFICATIONS

BATTERY

PRODUCT NAME Eaton 9SX UPS

CATALOG NUMBER 9SX1500G UPC RUNTIME GRAPH View runtime graph (http://eg.eaton.com/ups-batteryruntime/en-us/9SX1500G)

BATTERY MANAGEMENT ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery

9SX1500G | Eaton 9SX UPS | Specifications | Eaton

743172091291

PRODUCT LENGTH/DEPTH 17.1 IN

PRODUCT HEIGHT 9.9 IN

PRODUCT WIDTH

6.3 IN PRODUCT WEIGHT

37.3 LB

COMPLIANCES FCC Compliant CE Marked

CERTIFICATIONS cULus Listed

ELECTRICAL INPUT

INPUT CONNECTION C14 INPUT CORD LENGTH 8 ft INPUT FREQUENCY RANGE

60 Hz: 50–70 Hz, 50 Hz: 40–60 Hz

INPUT POWER FACTOR >.99

ENVIRONMENTAL

TEMPERATURE RANGE 0° to 40°C (32° to 104°F) https://www.eaton.com/us/en-us/skuPage.9SX1500G.specifications.html

replacement)

BATTERY REPLACEMENT Hot-swappable internal batteries and extended battery modules (EBMs)

EXTENDED BATTERY CAPABILITY

ELECTRICAL OUTPUT

RECEPTACLE

(8) C13

Yes

TOPOLOGY Online/Double-conversion

WATTAGE 1350 W

VA RATING 1500 VA

OUTPUT WAVEFORM True sine wave

VOLTAGE

208 V

OUTPUT POWER FACTOR 0.9

OUTPUT NOMINAL VOLTAGE 208V default (200/208/220/230/240/250V)

OUTPUT FREQUENCY 50/60 Hz

FEED TYPE

1

COMMUNICATIONS

COMMUNICATION

(1) MiniSlot|(1) USB port|(1) Serial RS-232 port|(1) RPO/ROO/Signal input terminal|(1) mini-terminal block for output relay

EXPANSION SLOTS

(1) Mini-Slot (MS) expansion port. Optional connectivity cards may be ordered separately.]- Gigabit Web/SNMP card part number: NETWORK-M2|- Modbus card part number: MODBUS-MS]- Relay card part number: RELAY-MS

USER INTERFACE 5-button graphical user interface

POTENTIAL FREE SWITCH CONTACT

Yes

ADDITIONAL SPECIFICATIONS

FORM FACTOR Tower

CONSTRUCTION TYPE

Free standing model

PACKAGE CONTENTS

9SX 1500 VA UPS|Quick start guide|(2) IEC C13-C14 jumpers 1.8m|RS-232 serial cable|USB cable

INTERNAL BYPASS

Yes

Download Links

Brochures

 \mathbf{V}

 $\underline{\mathbf{v}}$

Eaton 9SX UPS brochure (https://www.eaton.com/cont ent/dam/eaton/products/backup-power-ups-surge-it-p ower-distribution/backup-power-ups/eaton-9sx-ups/ea ton-9SX-UPS-brochure-BR153093EN.pdf)

Drawings

Eaton 9SX UPS visio stencils (https://www.eaton.com/ content/dam/eaton/products/backup-power-ups-surge -it-power-distribution/backup-power-ups/eaton-9sx-up s/eaton-9sx-UPS-visio-stencils.vss)

Download all files

WARRANTY AND SUPPORT

STANDARD FACTORY WARRANTY

2-YEAR FACTORY WARRANTY|- 2 years|- Parts, electronics and batteries coverage|- Standard ground shipping|- Technical support

EXTENDED SERVICE PLANS

ADVANCED DEPOT EXCHANGE|- 5-year depot repair: 9SW5Y-1500UC|- Expedited parts coverage for 5 years|-Parts, electronics and UPS batteries coverage|- Next business day shipping|- Technical support||5-YEAR ON-SITE PLAN: WFLN75XX-2509UC |- On-site parts and labor coverage for years 5|- Parts, electronics and UPS batteries coverage|- 24x7 on-site labor coverage, next-day response|- Next-day shipping|- Technical support

Certification reports

 $\mathbf{1}$

 $\overline{\mathbf{+}}$

 $\overline{\mathbf{v}}$

 $\overline{\mathbf{\Lambda}}$

EC DoC Eaton 9SX (https://www.eaton.com/content/da m/eaton/products/backup-power-ups-surge-it-power-d istribution/backup-power-ups/eaton-9sx-ups/EC%20D oC%20Eaton%209SX.pdf)

Product specification guides

Eaton 9SX UPS technical specifications (https://www.e aton.com/content/dam/eaton/products/backup-powerups-surge-it-power-distribution/backup-power-ups/eat on-9sx-ups/eaton-9SX-UPS-techspecs-TD153028EN.p df)

User guides

Quick start guide for Eaton 9SX UPS 208V models (htt ps://www.eaton.com/content/dam/eaton/products/back up-power-ups-surge-it-power-distribution/backup-pow er-ups/eaton-9sx-ups/eaton-9sx-ups-quick-start-guide -208v-models.pdf)

Eaton 9SX UPS installation and user manual (https://w ww.eaton.com/content/dam/eaton/products/backup-po wer-ups-surge-it-power-distribution/backup-power-up s/eaton-9sx-ups/eaton-9sx-ups-user-manual.pdf)

Download all files

Note: If file(s) are missing from the .zip download then the file type is not supported by bulk download.



Need product support?

Contact me

Phone: (800) 356-5737 (_tel_1-800-356-5737)

Or visit our tech support knowledge base (http://pqcustomersupport.eaton.com/)

Locate a channel partner (/us/en-us/locate/backuppower-UPS-surge-it-powerdistributionlocator.html?productgrouping

=0-3kvaups) Find a local channel partner

based upon your zip code.



UPS and battery replacement selector

(http://upsselector.eaton.com /?cx=3)

Find the right UPS, replacement batteries or the Eaton equivalent to competitive models.



Questions before you buy

(/content/eaton/us/enus/forms/backup-power-upssurge-it-distribution /questions-before-youbuy.html/us/en-us/catalog /backup-power-ups-surge-itpower-distribution/eaton-9sxups.SKUID.9SX1500G)

Fill out the form (link above) or call us

Toll free: 1-800-356-5794 option 2

Monday - Friday: 8:00 a.m. to 6:00 p.m. Eastern time

Privacy, cookies & data protection policy (/us/en-us/company/policies-and-statements /privacy-cookies-and-data-protection.html)

CCPA - Do Not Sell My Data Request (/us/en-us/forms/data-privacy/do-not-sell-data.html)

© 2021 Eaton. All Rights Reserved.