

Protect It! Surge Suppressor - 2 Schuko outlets

MODEL NUMBER: DEU2TEL



Highlights

- 2 Schuko outlets with internal safety covers
- Tel/modem surge protection
- 750 joules protection
- Green LED display indicates protection is present
- Portable design

Package Includes

- DEU2TEL surge suppressor
- Instruction manual
- 2 meter phone cord

Description

Tripp Lite's DEU2TEL offers complete AC and phoneline protection for laptop computers, electronic notepads, PDAs and other portable electronic devices. Integrated phone line protection allows you to safeguard tel/modem and AC connections with a single unit. 2 Schuko outlets and diagnostic LED offer surge suppression up to 750 joules. CE approved.

ELECTRICAL: 250V AC, 50Hz

Features

- 750 joule rating
- 250V AC, 50 Hz
- 2 Schuko outlets protect against surge damage and EMI/RFI interference
- RJ11 fax/modem protection
- Green LED indicates surge protection is present
- Portable, direct plug-in design slips easily into any briefcase or bag
- Internal child safety covers

Specifications

OVERVIEW	
UPC Code	037332119469
INPUT	
Recommended Electrical Service	230V (220-250V)
Input Cord Length Details	Direct Plug-In
Voltage Compatibility (VAC)	250
Input Cord Length (ft.)	0
Right-Angle Plug	No



Powering Business Worldwide

TRIPP-LITE
by **EAT•N**

Input Cord Length (m)	0.00
Integrated Cord Clip	No
OUTPUT	
Frequency Compatibility	50 Hz
Outlet Safety Covers Detail	Internal child safety covers
USER INTERFACE, ALERTS & CONTROLS	
Diagnostic LED(s)	Yes
Diagnostic LED Details	Green "protected" LED
SURGE / NOISE SUPPRESSION	
AC Suppression Joule Rating	750
EMI / RFI Filtering	Yes
Automatic Shut-Off	No
DATALINE SURGE SUPPRESSION	
Telephone/DSL Protection Details	1 line
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
Telephone/DSL Protection	Yes
PHYSICAL	
Color	Black
Housing Color	Black
Mounting Holes or Slots	No
Receptacle Color	Black
Shipping Dimensions (hwd / in.)	8.25 x 5.50 x 3.25
Shipping Dimensions (hwd / cm)	20.96 x 13.97 x 8.26
Shipping Weight (lbs.)	0.60
Shipping Weight (kg)	0.27
Unit Dimensions (hwd / in.)	3.500 x 3.750 x 3.000
FEATURES & SPECIFICATIONS	
Rotatable Outlets	No
Antimicrobial	No
WARRANTY & SUPPORT	



Powering Business Worldwide



Product Warranty Period (Worldwide)	Lifetime limited warranty
--	---------------------------

1000 Eaton Boulevard
Cleveland, OH 44122
United States
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.