




Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

TAA-Compliant 12-Outlet Vertical Power Strip, 120V, 15A, 15-ft. Cord, 5-15P, 36 in.

MODEL NUMBER: PS3612TAA



Description

Tripp Lite's PS3612TAA is compliant with Federal Trade Agreement (TAA) for GSA Schedule Purchases. PS3612TAA provides a 15-amp, 120v power strip with 12 standard NEMA 5-15 outlets in a rugged, all-metal, mountable housing. It allows for both vertical and horizontal mounting, making it ideal for a variety of uses including office, rack-mount, workbench, industrial, and telecom applications. With a NEMA 5-15P, 15-ft. power cord, you don't have to install the PS3612TAA next to outlets you already have; it can be mounted across the room and deliver reliable service where you need it most. A lighted and covered On/Off switch helps prevent accidental shut-offs, while a 15-amp circuit breaker guards against dangerous circuit overloads. Its sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

Features

Compliant with Federal Trade Agreement (TAA) for GSA Schedule Purchases

Multi-Outlet Power Distribution: Featuring 12 outlets compatible with all standard electrical equipment, the PS3612TAA is an ideal solution for applications or locations that require power to many devices simultaneously. The 36-in. housing spaces the outlets 2.638 inches apart from center to center, allowing enough room for most AC adapters and transformers.

Vertical or Horizontal Mounting: With vertical or horizontal installation, a rugged housing and plenty of outlets, Tripp Lite's PS3612TAA is ideal for point-of-sale and retail display applications as it provides reliable, consistent power service for multiple devices. Tripp Lite's power outlet strips can also be used in home office, workbench and rack enclosure applications. The included mounting hardware allows the PS3612TAA to be installed wherever reliable, multi-outlet power distribution is required.

Extra Long Power Cord: Install the PS3612TAA far away from its power source and provide power distribution to previously non-powered areas with the extra long, 15-ft. power cord. The PS3612TAA can be mounted in a different area, or a completely different room from where it draws AC power, putting you in control of getting reliable power service where you need it most.

Premium Safety Features: The lighted On/Off switch features a translucent cover that eliminates accidental shut-offs while still allowing you to see whether

Highlights

- Call for pricing and availability - this is a non-stock item
- Compliant with Federal Trade Agreement Act (TAA) for GSA Schedule Purchases
- Ideal for applications needing multiple convenience outlets for powering a variety of electronic equipment
- 36-in mountable housing with 12 standard NEMA 5-15R outlets and a 15 ft. power cord
- Lighted, covered On/Off switch and 15-amp circuit breaker
- Sturdy construction and heavy-duty, all-metal housing

Package Includes

- PS3612TAA
- Mounting hardware
- Instruction manual



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

the PS3612TAA is operational with a glance. A built-in, 15-amp circuit breaker prevents dangerous circuit overloads that could damage equipment. The breaker immediately shuts off AC input to the PS3612TAA when it detects that the equipment load is drawing too much power.

Heavy-Duty Housing: The PS3612TAA's rugged, all-metal housing is durably constructed making it a great solution for industrial, retail display and workbench applications.

Specifications

| OUTPUT | |
|------------------------------------|--|
| Frequency Compatibility | 50 / 60 Hz |
| Output Receptacles | (12) 5-15R |
| Output (Watts) | 1800 |
| Circuit Breaker (amps) | 15 |
| Outlet Spacing | 2.638 in. |
| Right-Angle Outlets | No |
| INPUT | |
| Nominal Input Voltage(s) Supported | 120V AC |
| Recommended Electrical Service | 15A 120V |
| Input Connection Type | Nema 5-15P |
| Input Plug Features | Black |
| Input Cord Length (ft.) | 15 |
| Input Cord Length (m) | 4.572 |
| Input Cord Gauge Type | 14/3 SJT |
| Voltage Compatibility (VAC) | 120 |
| USER INTERFACE, ALERTS & CONTROLS | |
| Switches | Lighted 2 position switch controls power to all outlets |
| Locking Switch Cover | Transparent on/off switch cover prevents accidental turn-off |
| PHYSICAL | |
| Unit Dimensions (hwd / in.) | 36 x 1.5 x 1.5 |
| Unit Dimensions (hwd / cm) | 91.5 x 3.8 x 3.8 |
| Unit Weight (lbs.) | 3.8 |
| Unit Weight (kg) | 1.7252 |
| Material of Construction | Aluminum |
| Included Mounting Accessories | Includes mounting clips |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| | |
|--|---|
| Receptacle Color | Black |
| Color (AC Line Cord) | Black |
| Form Factors Supported | Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications |
| Outlets Measurement (Center to Center) | 67mm |
| CERTIFICATIONS | |
| UL1363 (Power Tap) | UL1363 |
| cUL / CSA (Canada) | cUL |
| Approvals | RoHS, TAA Compliant |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2016 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:
<http://www.tripplite.com/products/product-certification-agencies>