

12W	EPA-121DA-XX	MODEL	OUTPUT		SAFETY
	EPA-121DA-05	5V	2.5A	TICK. BSMI. DFT. PSB	
	EPA-121DA-06	6V	2A	UL. CUL. GS. CE. T-MARK. CB	
	EPA-121DA-07	7V	1.75A	DFT C-TICK. KOREA. CCEE. CCIB.	
	EPA-121DA-09	9V	1.33A	UL. CUL. GS. CE. T-MARK. CB	
	EPA-121DA-10	10V	1.2A	UL. CUL. GS. CE. T-MARK. CB	
	EPA-121DA-12	12V	1A	UL. CUL. GS. CE. T-MARK. CB	
	EPA-121DA-15	15V	0.8A	UL. CUL. GS. CE. T-MARK. CB	
	EPA-121DA-16	16V	0.75A	UL. CUL. GS. CE. CB	
	EPA-121DA-18	18V	0.67A	UL. CUL. GS. CE. CB	
Input Voltage: 100-240V	EPA-121DA-20	20V	0.6A	UL. CUL. GS. CE. CB	
Case Size : 74mmx46mmx25.5mm	EPA-121DA-24	24V	0.5A	UL. CUL. GS. CE. CB	

15W	EPA-151DA-XX	MODEL	OUTPUT		SAFETY
		EPA-151DA-05	5V	3A	UL. CUL. GS. CE. T-MARK. SAA. CB
		EPA-151DA-06	6V	2.5A	UL. CUL. CE. T-MARK
		EPA-151DA-07	7V	2.1A	UL. CUL. CE. T-MARK
		EPA-151DA-09	9V	1.66A	UL. CUL. GS. CE. T-MARK
		EPA-151DA-10	10V	1.5A	UL. CUL. CE. T-MARK
		EPA-151DA-12	12V	1.25A	UL. CUL. GS. CE. T-MARK
		EPA-151DA-15	15V	1A	UL. CUL. GS. CE. T-MARK
		EPA-151DA-16	16V	0.9A	UL. CUL. CE
		EPA-151DA-18	18V	0.83A	UL. CUL. CE
Input Voltage: 100-240V		EPA-151DA-20	20V	0.75A	UL. CUL. CE
Case Size : 90mmx58xmmx28mm		EPA-151DA-24	24V	0.62A	UL. CUL. CE

20W	EPA-201DA-XX	MODEL	OUTPUT		SAFETY
		EPA-201DA-05	5V	4A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201DA-06	6V	3.3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201DA-07	7V	2.85A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201DA-09	9V	2.2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201DA-10	10V	2.0A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201DA-12	12V	1.66A	UL. CUL. GS. CE. T-MARK. CB. PSB
		EPA-241DA-12	12V	2A	UL. CUL. GS. CE. T-MARK. CB. PSB
		EPA-201DA-15	15V	1.33A	UL. CUL. GS. CE. T-MARK. CB. PSB
		EPA-201DA-16	16V	1.25A	UL. CUL. GS. CE. CB
		EPA-201DA-18	18V	1.1A	UL. CUL. GS. CE. CB
Input Voltage: 100-240V		EPA-201DA-20	20V	1A	UL. CUL. GS. CE. CB
Case Size : 110mmx60xmmx34mm		EPA-201DA-24	24V	0.83A	UL. CUL. GS. CE. CB

20W	EPA-201D-XX	MODEL	OUTPUT		SAFETY
		EPA-201D-05	5V	4A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-06	6V	3.3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-07	7V	2.85A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-09	9V	2.2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-10	10V	2.0A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-12	12V	1.66A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241D-12	12V	2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-15	15V	1.33A	UL. CUL. GS. CE. T-MARK. CB
		EPA-201D-16	16V	1.25A	UL. CUL. GS. CE. CB
		EPA-201D-18	18V	1.1A	UL. CUL. GS. CE. CB
Input Voltage: 100-240V		EPA-201D-20	20V	1A	UL. CUL. GS. CE. CB
Case Size : 110mmx60xmmx34mm		EPA-201D-24	24V	0.83A	UL. CUL. GS. CE. CB

20W	EPA-20XD-XX	MODEL	OUTPUT		SAFETY
		EPA-203D-1	5V	2A	UL. CUL. T-MARK. GS. CE. CB. FCC. CCEE. CCIB
			12V	1A	
			-12V	0.2A	
		EPA-203D-1A	5V	2A	UL. CUL. C-Tick. T-MARK. GS. CE. CB. FCC. CCEE. CCIB. PSB
			12V	0.2A	
			-12V	0.2A	
		EPA-202D-1	5V	2A	UL. CUL. C-Tick. T-MARK. GS. CE. CB
			12V	1.5A	
		EPA-202D-1A	5V	1.5A	UL. CUL. C-Tick. T-MARK. GS. CE. CB
			12V	1.5A	
EPA-202D-2	5V	2.5A	UL. CUL. C-Tick. T-MARK. GS. CE. CB		
	12V	0.8A			
EPA-202D-2A	5V	2.5A	UL. CUL. C-Tick. T-MARK. GS. CE. CB		
	12V	0.5A			
Input Voltage: 100-240V		EPA-202D-1D	3.3V	2A	UL. CUL
Case Size : 110mmx60xmmx34mm			7V	0.35A	

24W	EPA-241DAN-XX	MODEL	OUTPUT		SAFETY
		EPA-241DAN-7	7V	3.4A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DAN-8	8V	3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DAN-9	9V	2.6A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DAN-10	10V	2.4A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DAN-12	12V	2.A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DAN-15	15V	1.6A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DAN-16	16V	1.5A	UL. CUL. GS. CE. CB
		EPA-241DAN-18	18V	1.33A	UL. CUL. GS. CE. CB
		EPA-241DAN-19	19V	1.27A	UL. CUL. GS. CE. CB
		EPA-241DAN-20	20V	1.2A	UL. CUL. GS. CE. CB
Input Voltage: 100-240V		EPA-241DAN-22	22V	1.1A	UL. CUL. GS. CE. CB
Case Size : 98mmx50xmmx28mm		EPA-241DAN-24	24V	1A	UL. CUL. GS. CE. CB

24W	EPA-241DN-XX	MODEL	OUTPUT		SAFETY
		EPA-241DN-7	7V	3.4A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DN-8	8V	3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DN-9	9V	2.6A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DN-10	10V	2.4A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DN-12	12V	2.A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DN-15	15V	1.6A	UL. CUL. GS. CE. T-MARK. CB
		EPA-241DN-16	16V	1.5A	UL. CUL. GS. CE. CB
		EPA-241DN-18	18V	1.33A	UL. CUL. GS. CE. CB
		EPA-241DN-19	19V	1.27A	UL. CUL. GS. CE. CB
		EPA-241DN-20	20V	1.2A	UL. CUL. GS. CE. CB
Input Voltage: 100-240V		EPA-241DN-22	22V	1.1A	UL. CUL. GS. CE. CB
Case Size : 98mmx50xmmx28mm		EPA-241DN-24	24V	1A	UL. CUL. GS. CE. CB

30W	EPA-301DAN-XX	MODEL	OUTPUT		SAFETY
		EPA-301DAN-5	5V	4.5A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-6	6V	4.5A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-7	7V	4.2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-8	8V	3.6A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-9	9V	3.3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-10	10V	3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-12	12V	2.5A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-15	15V	2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DAN-16	16V	1.9A	UL. CUL. GS. CE. CB
		EPA-301DAN-18	18V	1.7A	UL. CUL. GS. CE. CB
		EPA-301DAN-19	19V	1.6A	UL. CUL. GS. CE. CB
	EPA-301DAN-20	20V	1.5A	UL. CUL. GS. CE. CB	
Input Voltage: 100-240V		EPA-301DAN-22	22V	1.4A	UL. CUL. GS. CE. CB
Case Size : 98mmx50xmmx28mm		EPA-301DAN-24	24V	1.25A	UL. CUL. GS. CE. CB

30W	EPA-301DN-XX	MODEL	OUTPUT		SAFETY
		EPA-301DN-5	5V	4.5A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-6	6V	4.5A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-7	7V	4.2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-8	8V	3.6A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-9	9V	3.3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-10	10V	3A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-12	12V	2.5A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-15	15V	2A	UL. CUL. GS. CE. T-MARK. CB
		EPA-301DN-16	16V	1.9A	UL. CUL. GS. CE. CB
		EPA-301DN-18	18V	1.7A	UL. CUL. GS. CE. CB
		EPA-301DN-19	19V	1.6A	UL. CUL. GS. CE. CB
		EPA-301DN-20	20V	1.5A	UL. CUL. GS. CE. CB
Input Voltage: 100-240V		EPA-301DN-22	22V	1.4A	UL. CUL. GS. CE. CB
Case Size : 98mmx50xmmx28mm		EPA-301DN-24	24V	1.25A	UL. CUL. GS. CE. CB

30W	30WEAD-XX	MODEL	OUTPUT		SAFETY
		30WEAD	5V	4A	UL. CUL. GS. CE
			12V	0.6A	UL. CUL. GS. CE
			-12V	0.2A	UL. CUL. GS. CE
		30WEAD-01	5V	3.6A	UL. CUL. GS. CE
			12V	1A	UL. CUL. GS. CE
		30WEAD-02	5V	5A	UL. CUL. GS. CE
		30WEAD-03	12V	2.5A	UL. CUL. GS. CE
		30WEAD-04	15V	2A	UL. CUL. GS. CE
Input Voltage: 100-240V	30WEAD-05	24V	1.25A	UL. CUL. GS. CE	
Case Size : 141mmx71xmmx39.5mm	30WEAD-06	9V	3.3A	UL. CUL. GS. CE	