



VEG15B-120F



Features:

- Two pins IEC C8 input socket
- Wide range AC input
- Level B EMI filter
- Fully enclosed plastic case
- Fully regulated output
- High efficiency
- High quality
- Power saving state under 0.5 Watt

Product Description

Specifications:

Electrical specifications

Input

Voltage 90 – 264 Vac (wide range)

Current 1.0 Arms MAX.

Frequency 47 – 63 Hz

Output

Voltage (Vo).....(see table)

Tolerance.....5%

Power (Po).....15W Max.

Hold up time.....8ms Min. full load , Vin 115 Vac.

Over voltage protection....Built-in

Short circuit protection.....Pulsing mode, auto recovery

Efficiency.....75% typ. full load , Vin 115 Vac.

Ripple/Noise(Vp-p).....1% (20MHz bandwidth)

Output Electronic Specifications

Model#	Po	Vo	Io max
VEG15B-120F	15W	12.0V	1.25A

Environmental

Operating temperature

0 deg. C to +40 deg. C ambient

Storage temperature

-20 deg. C to +85 deg. C ambient

EMI

Meet FCC class B

Meet CISPR 22 class B

Meet VCCI class B

Safeties

CB

CE

RCM

TUV/GS

CCC

B/S

UL/cUL

PSE

FCC

Share this:

 Share 0

 Tweet

 Print

 Email

Products

LED Driver

Desktop Adapter

Wall Mount

Car Adapter

Open Frame

Contact Information

Fairway Electronic Co., Ltd.

Phone : 886-2-8226 9258

Fax : 886-2-8226-9630

Email : sales@fairway.com.tw

Search...

