

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: R Blades (Interchangeable), , Efficiency Level: , Case Color/Style: GlobTek Black, , , Input Rating: , , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: , , GT Cord #, Pin Out: , Blades/Input Cord: , Approvals: to, GT Cable #: / Conductors, mm OD, , Deg.C, V, , Approvals: , mm, Model No. R Blades (Interchangeable) Part No./Ordering No. R-KIT-2-DI(R)
	Rev C

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification

ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <http://www.globtek.com/iso-certificates/>

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (<http://www.globtek.com/terms-and-conditions/>).

Prop 65 Statement:<https://www.globtek.com/prop-65-statement.pdf>

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:

Customer P/N:

Quote Number:

Date:

Authorized Representative Name:

Authorized Representative Signature:

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: R Blades (Interchangeable), , Efficiency Level: , Case Color/Style: GlobTek Black, , Input Rating: , , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: , , GT Cord #, Pin Out: , Blades/Input Cord: , Approvals: to, GT Cable #: / Conductors, mm OD, , Deg.C, V, , Approvals: , mm, Model No. R Blades (Interchangeable) Part No./Ordering No. R-KIT-2-DI(R)
	Rev C

REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
C	ADD CHINESE BLADE TO KIT	DR	02/15/2022	QA
B	UPDATE DRAWING WITH LOCATING TAB, RFS. 26719, NF	DR	06/16/2017	QA
A	INITIAL RELEASE, RFS. 25554, DH	DR	06/16/2014	QA

AGENCY ONLINE DOCUMENTS

RoHS/RoHS3 Declaration https://www.globtek.com/pdf/rohs_cert/01ta0000005bOKuAAM


REACH Declaration <https://www.globtek.com/r2/eM2co8>

Conflict Minerals Declaration <https://www.globtek.com/r2/SNw6P3>

Prop 65 Statement <https://www.globtek.com/r2/VMPPrnr>


IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.

Interchangeable Plug Kit including NA, EU, UK, AUS, China blade and desktop insert




UL 2P

P/N: R-NA-2(R)
NORTH AMERICA
JAPAN




AUS 2P

P/N: R-SAA-2(R)
AUSTRALIA



UK 2P

P/N: R-UK-2(R)
UNITED KINGDOM
HONG KONG
SINGAPORE




EU 2P

P/N: R-EU-2(R)
EUROPE
SOUTH AMERICA



CN 2P

P/N: R-CN-2(R)
CHINA



R-DI

P/N: R-DI
DESKTOP INSERT

#Part Number	Main Country/Region	Plug	IECEE Type	Included in Package
--------------	---------------------	------	------------	---------------------

PROPRIETARY INFORMATION

PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC. © GlobTek, Inc. 2014 - 2025

quest /05/14/2025 11:14:21 AM

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: R Blades (Interchangeable), , Efficiency Level: , Case Color/Style: GlobTek Black, , Input Rating: , , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: , , GT Cord #, Pin Out: , Blades/Input Cord: , Approvals: to , GT Cable #: / Conductors, mm OD, , Deg.C, V, , Approvals: , mm,		
	Model No. R Blades (Interchangeable)		
	Part No./Ordering No. R-KIT-2-DI(R)		Rev C

1	R-NA-2(R)	North America, Japan	Nema 1-15P	Type A	Y
2	R-SAA-2(R)	Australia/New Zealand	AS/NZ 3112	Type I	Y
3	R-UK-2(R)	United Kingdom/Ireland	UK, Hong Kong, Singapore, Gulf States	Type G	Y
4	R-EU-2(R)	Europe	CEE 7/16	Type C	Y
5	R-CN-2(R)	China	GB 2099	Type A	Y
6	461-03030003(R)	N/A	R-DI(R) Desktop Insert for use with a cord	N/A	Y
7	R-KIT-2(R)	prepackaged kit	1,2,3,4 above	N/A	NOT INCLUDED
8	R-KIT-2-INTL(R)	prepackaged kit	2,3,4 above	N/A	NOT INCLUDED
9	R-KIT-2-DI(R)	prepackaged kit	1,2,3,4,5,6	N/A	N/A

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: R Blades (Interchangeable), , Efficiency Level: , Case Color/Style: GlobTek Black, , , Input Rating: , , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: , , GT Cord #, Pin Out: , Blades/Input Cord: , Approvals: to , GT Cable #: / Conductors, mm OD, , Deg.C, V, , Approvals: , mm,	
	Model No. R Blades (Interchangeable)	
	Part No./Ordering No. R-KIT-2-DI(R)	Rev C

PACKAGING

Packing Spec P/N:	
Box Qty:	1500
Gift Box Size (mm):	
Gift Box Color:	White
Master Carton Size (mm):	TBD
Master Carton Cubic Volume (m³): 0.00	
Master GW (Kg):	kg
wt Ea. (Kg):	kg
wt Ea. (Kg):	kg
LABEL SPECS: ,	
PACK SPEC:	