GlobTek, Inc.	Drawing Title: T00 System changeable plug system, 5.5 X 2.1MM TWIST LOCK WITH WINGS PLUG		
www.globtek.com	Model No. Low voltage cable		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. T-C-S-LKWG-S(R)	Rev A2	
Fax (201) 784-0111			

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <a href="http://www.globtek.com/iso-certificates/">http://www.globtek.com/iso-certificates/</a>

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions ( <a href="http://www.globtek.com/terms-and-conditions/">http://www.globtek.com/terms-and-conditions/</a>).

Prop 65 Statement:https://www.globtek.com/prop-65-statement.pdf

## Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, 5.5 X 2.1MM TWIST LOCK WITH WINGS PLUG		
www.globtek.com	Model No. Low voltage cable		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. T-C-S-LKWG-S(R)	Rev A2	
Fax (201) 784-0111			

## **REVISION HISTORY**

REV	DESCRIPTION	SUB	DATE	APPROVED
A2	Add more options for similar and mating connectors	QA	08/18/2022	QA
A1	Add more options for similar and mating connectors	QA	08/15/2022	QA
А	Initial release	QA	08/04/2022	QA


AGENCY ONLINE DOCUMENTS	
RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t3a000005hbzdAAA
REACH Declaration	https://www.globtek.com/r2/eM2co8
Conflict Minerals Declaration	https://www.globtek.com/r2/SNw6P3
Pron 65 Statement	https://www.globtek.com/r2/VMPRnr

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, 5.5 X 2.1MM TWIST LOCK WITH WINGS PLUG		
www.globtek.com	Model No. Low voltage cable		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. T-C-S-LKWG-S(R)	Rev A2	
Fax (201) 784-0111			


5.5\*2.1\*9.5 mm with internal Spring Clip and no Locking Notch and twist lock or equal, Black

Important dimension "\*"



## Packaging:

- 1.Qty: 50 pcs per PE Vacuum Sealed bag.
- 2. Bag Dimensions: 200\*110 mm



Similar to: KLDX-PA-0202-A-LT S760 S761K S761KS17 S761KS12 S765 KLDX-PA-0202-A S761KS15 S766K

Mates with KLDHCX-0202-AP-LT KLDVHCX-0202-A-LT KLDX-0202-AP-LT KLDX-0202-A-LT KLDX-0202-A-L

Over molded versions available for power supply output connectors or cable assemblies available upon request

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, 5.5 X 2.1MM TWIST LOCK WITH WINGS PLUG	
www.globtek.com	Model No. Low voltage cable	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. T-C-S-LKWG-S(R)	Rev A2
Fax (201) 784-0111		

## **PACKAGING** Packing Spec P/N: 1000 Box Qty: Gift Box Size (mm): Gift Box Color: White Master Carton Size (mm): TBD Master Carton Cubic Volume (m³): 0.00 Master GW (Kg): kg wt Ea. (Kg): kg wt Ea. (Kg): kg LABEL SPECS:, PACK SPEC: