

HP ProLiant ML370 G5 Server - Option Parts

[New model specific parts lists](#)

[Unique options](#)

[Processor](#)

[Memory](#)

[Internal storage](#)

[Diskette drive](#)

[Optical drives](#)

[Serial Port Kit](#)

[Hard drives](#)

[Storage controllers](#)

[Communications](#)

[Power supplies](#)

[HP Insight Software](#)

[Disk-Based backup](#)

[Tape storage](#)

[High Availability Cluster Options](#)

[StorageWorks Options](#)

[HP StorageWorks 50 Modular Smart Array](#)

[HP StorageWorks 60 Modular Smart Array](#)

[HP StorageWorks 70 Modular Smart Array](#)

[Uninterruptible Power Systems - Tower](#)

[Uninterruptible Power Systems - Rack](#)

[HP Monitored Power Distribution Unit \(PDU\)](#)

[Modular Power Distribution Units 1U/0U \(up to 32 outlets\)](#)

[USB and SD options](#)

[HP Rack 5000 Series \(Graphite Metallic\)](#)

[HP Rack 10000 G2 Series \(Carbon/Graphite Metallic\)](#)

[HP KVM Switch Options](#)

[HP Serial Console Server Options](#)

[Service and Support Offerings](#)

New model specific parts lists

IMPORTANT: To obtain current part number information for a specific product model, use the Standard Models page for this product family.

- The product Standard Models page now links the model SKU numbers to the spare parts list for each model found on the HP PartSurfer web site. (To report missing or incorrect parts information in PartSurfer, please use the "Contact us" and "Missing or incorrect data" links within the PartSurfer web site utility.)
- To lookup RoHS-compliant information in PartSurfer, use the component's option part number or the sales order number for a system in which the component is used (available in the QuickSpecs or Standard Models page). The spare part number does not provide RoHS-compliant information.

[top](#)

Unique options

Description	Options Part #
ML370 G5 SAS SFF 8-bay Drive Cage Kit ¹	401415-B21
ML370 G5 Memory Board Kit ²	403766-B21
Tower to Rack Conversion ML370 G5 Kit	400899-B21

Description	Options Part #
X4/X8 PCIE Bus Expander	403724-B21
Hot Plug Redundant Fan ML370 G5 Kit	400693-B21
Note 1: 2nd drive cage requires a storage controller.	
Note 2: 2 Memory Boards required for support of 4:1 interleaving; 2 included with Performance models.	

[top](#)

Processor

Description	Options Part #
Quad-Core Intel Xeon Processors	
Quad-Core Intel Xeon Processor X5470 (3.33 GHz, 120 Watts, 1333 FSB)	488039-B21
Quad-Core Intel Xeon Processor X5460 (3.16 GHz, 120 Watts, 1333 FSB)	458408-B21
Quad-Core Intel Xeon Processor X5450 (3.00 GHz, 120 Watts, 1333 FSB)	462711-B21
Quad-Core Intel Xeon Processor E5450 (3.00 GHz, 80 Watts, 1333 FSB)	458410-B21
Quad-Core Intel Xeon Processor E5440 (2.83 GHz, 80 Watts, 1333 FSB)	458412-B21
Quad-Core Intel Xeon Processor E5430 (2.66 GHz, 80 Watts, 1333 FSB)	458414-B21
Quad-Core Intel Xeon Processor E5420 (2.50 GHz, 80 Watts, 1333 FSB)	458416-B21
Quad-Core Intel Xeon Processor E5410 (2.33 GHz, 80 Watts, 1333 FSB)	458418-B21
Quad-Core Intel Xeon Processor E5405 (2.00 GHz, 80 Watts, 1333 FSB)	458420-B21
Quad-Core Intel Xeon Processor X5365 (3.00 GHz, 120 Watts, 1333 FSB)	450321-B21
Quad-Core Intel Xeon Processor X5355 (2.66 GHz, 120 Watts, 1333 FSB)	433104-B21
Quad-Core Intel Xeon Processor E5345 (2.33 GHz, 80 Watts, 1333 FSB)	433102-B21
Quad-Core Intel Xeon Processor E5335 (2.00 GHz, 80 Watts, 1333 FSB)	437391-B21
Quad-Core Intel Xeon Processor E5320 (1.86 GHz, 80 Watts, 1066 FSB)	433098-B21
Dual-Core Intel Xeon Processors	
Dual-Core Intel Xeon Processor X5260 (3.0 GHz, 80 Watts, 1333 FSB)	458422-B21
Dual-Core Intel Xeon Processor L5240 (3.0 GHz, 40 Watts, 1333 FSB)	461765-B21

[top](#)

Memory

Description	Options Part #
1 GB FBD PC2-5300 2 x 512 MB Kit	397409-B21
2 GB FBD PC2-5300 2 x 1 GB Kit	397411-B21
2 GB FBD PC2-5300 2 x 1 GB Low Power Single Rank Kit	461826-B21
4 GB FBD PC2-5300 2 x 2 GB Kit	397413-B21
4 GB FBD PC2-5300 2 x 2 GB Low Power Dual Rank Kit	461828-B21
8 GB FBD PC2-5300 2 x 4 GB Kit	397415-B21
8 GB FBD PC2-5300 2 x 4 GB Low Power Dual Rank Kit	466440-B21
ML370 G5 Memory Board Kit	403766-B21
NOTE: 2 Memory Board required for support of 4:1 interleaving; 2 boards included on Performance models.	
NOTE: Memory Option Kits include Low Power DIMMs. Click Here for more information on ProLiant Energy Efficient Features .	

[top](#)

Internal storage

Description	Options Part #
ML370 G5 SAS SFF 8-bay Drive Cage Kit	401415-B21
NOTE: Optional 2nd drive cage requires a dedicated storage controller.	

[top](#)

Diskette drive

Description	Options Part #
Floppy Drive ML350/370 G5 Kit	409582-B21

[top](#)

Optical drives

Description	Options Part #
DVD-ROM Drive Option Kit	217053-B21

[top](#)

Serial Port Kit

Description	Options Part #
Parallel/Serial Port ML370/350 G5 Kit	401222-B21

[top](#)

Hard drives

Description	Options Part #
NOTE: Transfer rates of drives are dependent on the maximum transfer rate supported by the HBA or Controller. Refer to the HBA or Controller technical specifications for details.	
SAS Hot Plug SFF Enterprise (ENT) Drives	
HP 300 GB 6G SAS 10K SFF DP ENT HDD	507127-B21
HP 300 GB 3G SAS 10K SFF DP ENT HDD	492620-B21
HP 146 GB 6G SAS 10K SFF DP ENT HDD	507125-B21
HP 146 GB 3G SAS 15K SFF DP ENT HDD	504062-B21
HP 146 GB 3G SAS 10K SFF DP ENT HDD	418367-B21
HP 72 GB 3G SAS 15K SFF DP ENT HDD	418371-B21
HP 72GB 6G SAS 15K SFF DP ENT HDD	512545-B21
HP 72 GB 3G SAS 10K SFF DP ENT HDD	384842-B21
HP 146GB 6G SAS 15K SFF DP ENT HDD	512547-B21
NOTE: SAS Enterprise drives have a 3 year warranty. Click Here to see the QuickSpecs for Technical Specifications and additional information.	
SATA Hot Plug Entry (ETY) Drives	
HP 250 GB 3G SATA 5.4K SFF ETY HDD	460355-B21
HP 120 GB 1.5G SATA 5.4K SFF ETY HDD	458924-B21
NOTE: SATA hard drives have a 1-year warranty. Click Here to see the QuickSpecs for Technical Specifications and additional information.	
SATA Hot Plug SFF Midline (MDL) Drives	
HP 500GB 3G SATA 7.2K 2.5in MDL HDD	507750-B21
HP 160GB 3G SATA 7.2K 2.5in MDL HDD	530888-B21
SAS Hot Plug SFF Midline (MDL) Drives	
HP 500GB 6G SAS 7.2K SFF DP MDL HDD	507610-B21
SATA Hot Plug Midline (MDL) Solid State Drives	
HP 60GB 3G SATA 2.5in MDL 1y Wty SSD	572071-B21
HP 120GB 3G SATA 2.5in MDL 1y Wty SSD	572073-B21
NOTE: SATA hard drives have a 1-year warranty. Click here to see the QuickSpecs for Technical Specifications and additional information.	

[top](#)

Storage controllers

Description	Options Part #
SAS Controllers	
Smart Array E200 Controller	
HP Smart Array E200/128 BBWC Controller	411508-B21
Smart Array E500 Controller	
HP Smart Array E500/256 MB Controller	435129-B21
Smart Array P400 Controller	
HP Smart Array P400/256 MB Controller	405132-B21
NOTE: Supports RAID 0/1/5.	

Description	Options Part #
HP Smart Array P400/512 MB BBWC Controller	411064-B21
NOTE: Supports RAID 0/1/1+0/5/6.	
512 MB Battery-backed cache upgrade	405148-B21
NOTE: Supports the Smart Array P400 Controller.	
Battery-backed write cache upgrade	383280-B21
NOTE: Supports the Smart Array P400 Controller.	
Smart Array P600 Controller	
HP Smart Array P600/256 BBWC Controller	337972-B21
NOTE: Supports external drive attach.	
Smart Array P800 Controller	
HP Smart Array P800/512 BBWC Controller	381513-B21
NOTE: Supports external drive attach.	
SAS HBA	
HP SC08Ge Host Bus Adapter	488765-B21
HP SC44Ge Host Bus Adapter	416096-B21
NOTE: When using the SC44Ge with SATA Hard Drives, 1.5G SATA Hard Drives are required. Transfer rate: 1.5 GB/s SATA, 3 GB/s SAS.	
HP 8 Internal Port SAS HBA with RAID	347786-B21
SCSI Controllers for External Drive/Storage Support	
Smart Array 6402/128 Controller	273915-B21
NOTE: Ultra320 SCSI.	
Smart Array 6404/256 Controller	273914-B21
NOTE: Ultra320 SCSI.	
Smart Array 642 Controller	291967-B21
NOTE: Ultra320 SCSI.	
128 MB BBWC (Battery-Backed Write Cache) Enabler	351580-B21
NOTE: Supports the Smart Array E200 Controller, Smart Array 641 Controller, Smart Array 642 Controller.	
64-Bit/133 MHz Single Channel Ultra320 SCSI HBA G2	374654-B21
SCSI HBA	
HP SC11Xe Host Bus Adapter	412911-B21

[top](#)

Communications

Description	Options Part #
HP NC110T PCI Express Gigabit Server Adapter	434905-B21
HP NC360T PCI Express Dual Port Gigabit Server Adapter	412648-B21
HP NC364T PCI Express Quad Port Gigabit Server Adapter	435508-B21
NOTE: There is a maximum of five NC364T PCI Express Quad Port Gigabit Server Adapters allowed in this server.	
HP NC373F PCI Express Multifunction Gigabit Server Adapter	394793-B21
HP NC373T PCI Express Multifunction Gigabit Server Adapter	394791-B21
HP NC380T PCI Express Dual Port Multifunction Gigabit Server Adapter	394795-B21
NOTE: Supported on a Full Length-Full Height slot only.	
HP NC522SFP Dual Port 10GbE Server Adapter	468332-B21
NOTE: A minimum of two gigabyte (2 GB) of server memory is required per each NC522SFP	

Description	Options Part #
adapter.	
HP NC7170 PCI-X Dual Port 1000T Gigabit Server Adapter	313881-B21

[top](#)

Power supplies

Description	Options Part #
Redundant Power Supply 350/370/380 G5 AU Kit	399771-011
Redundant Power Supply 350/370/380 G5 EU Kit	399771-021
Redundant Power Supply 350/370/380 G5 JP Kit	399771-291
Redundant Power Supply 350/370/380 G5 Kit (IEC Cord)	399771-B21
Redundant Power Supply 350/370/380 G5 UK Kit	399771-031
Redundant Power Supply 350/370/380 G5 Kit (NEMA Cord)	399771-001
Hot Plug Redundant Fan ML370 G5 Kit	400693-B21

[top](#)

HP Insight Software

Description	Options Part #
HP Insight Control server deployment	
HP Insight Control server deployment, Electronic License including 1 year of 24x7 Technical Support and Updates	T9082AAE
HP Insight Control for Linux	
HP Insight Control for Linux, 1-server license, including one year of 24x7 Technical Support and Updates, Electronic	T9084BAE
HP Insight Control for Linux, No Media, 1-Server license, including one year of 24x7 Technical Support and Updates	464423-B22
HP Insight Control for Linux, Media pack (DVD) - No licenses included	464422-B22
HP Integrated Lights-Out Advanced	
HP Integrated Lights-Out Advanced, No Media, 1-Server License, including 1 year of 24x7 Technical Support and Updates	512485-B21
HP Insight Rapid Deployment software	
HP Insight Rapid Deployment software No Media 1-Server License, including 1 year of 24x7 Technical Support and Updates	452151-B21

[top](#)

Disk-Based backup

Description	Options Part #
RDX Removable Disk Backup	
HP StorageWorks RDX500 Internal Removable Disk Backup System	AJ934A
NOTE: 500 GB of Disk Storage.	
HP StorageWorks D2D2502i Backup System	EJ001A
HP StorageWorks D2D2504i Backup System	EJ002A

[top](#)

Tape storage

Description	Options Part #
DAT 320 WW SAS External Tape Drive	AJ828A
DAT 320 USB External Tape Drive	AJ823A
HP DAT 320 USB Internal Tape Drive	AJ825A
HP DAT 320 SAS Internal Tape Drive	AJ830A
HP StorageWorks LTO-2 Ultrium 448 SAS Internal Tape	DW085A
HP StorageWorks LTO-3 Ultrium 920 SAS Internal Tape Drive	EH847A
HP StorageWorks LTO-4 Ultrium 1760 SAS Internal Tape Drive	EH919A
HP StorageWorks 1/8 G2 LTO-4 Ultrium 1760 SAS Tape Autoloader	AK377A
HP StorageWorks 1/8 G2 LTO-3 Ultrium 920 SAS Autoloader	AH558A

Description	Options Part #
HP StorageWorks 1/8 G2 Tape Autoloader Rack Kit	AH166A
HP StorageWorks MSL2024 1 LTO-4 Ultrium 1760 SAS Drive Library	AK378A
HP StorageWorks MSL2024 1 LTO-3 Ultrium 920 SAS Drive Library	AH559A
HP StorageWorks MSL4048 2 LTO-4 Ultrium 1760 SAS Drive Library	AK380A
HP StorageWorks MSL4048 1 LTO-3 Ultrium 920 SAS Drive Library	AH560A

[top](#)

High Availability Cluster Options

Description	Options Part #
HP Serviceguard Linux for HP ProLiant/x86 Servers Licensed per physical server Includes media and One Year 24x7 Software Support & Updates	463831-B21
HP Serviceguard Linux Oracle Database Toolkit for HP ProLiant/x86 Servers Licensed per cluster Includes media and One Year 24x7 Software Support & Updates	463833-B21
HP Serviceguard Extension for SAP on Linux for HP ProLiant/x86 Servers Licensed per physical server Includes media and One Year 24x7 Software Support & Updates	463834-B21
HP Serviceguard Linux Extended Distance Cluster (XDC) for HP ProLiant/x86 Servers Licensed per physical server Includes media and One Year 24x7 Software Support & Updates	463835-B21
NOTE: The above is not a complete list of all HP Serviceguard for Linux product numbers For a detailed list of supported configuration/certification options for HP Serviceguard for Linux please refer to the HP Serviceguard for Linux Configuration & Ordering Guide available at: http://www.hp.com/go/sglx/info .	
NOTE: HP Serviceguard for Linux products running on x86 platforms now include one year of 24 x 7 Software Technical Support and Updates. Please see the Support Information section of the HP Serviceguard for Linux QuickSpecs for details.	

[top](#)

StorageWorks Options

NOTE: The following is a list of all Fibre Channel Host Bus Adapters for Microsoft Windows and Linux. [Click Here](#) for detailed compatibility information.

Description	Options Part #
HP StorageWorks FC2142SR 4Gb PCI-e HBA	A8002A
HP StorageWorks FC2242SR Dual Channel 4 Gb PCI-e HBA	A8003A
HP StorageWorks FC1142SR 4 GB PCI-e HBA	AE311A
HP StorageWorks FC1242SR Dual Channel 4 GB PCI-e HBA	AE312A
HP StorageWorks FC2143 4 GB PCI-X 2.0 -to-Fibre Channel HBA	AD167A
HP StorageWorks FC2243 Dual Channel 4 GB PCI-X 2.0 HBA	AD168A
HP StorageWorks FC1143 4 GB PCI-X 2.0 HBA	AB429A
HP StorageWorks FC1243 Dual Channel 4 GB PCI-X 2.0 HBA	AE369A
HP StorageWorks 81Q PCI-e FC HBA	AK344A
HP StorageWorks 8Gb Simple SAN Connection Kit	AK241A
HP StorageWorks 8/20q Fibre Channel Switch	AK242A
HP StorageWorks 81E 8Gb SP PCI-e FC HBA	AJ762A
HP 82E 8Gb Dual-port PCI-e FC HBA	AJ763A
HP 82Q 8Gb Dual Port PCI-e FC HBA	AJ764A
StorageWorks SCSI HBA	
HP U320e SCSI Host Bus Adapter	AH627A
NOTE: Recommended Dual Channel Ultra320 SCSI Controller for connecting multi-drive MSL tape libraries to ProLiant servers.	

[top](#)

HP StorageWorks 50 Modular Smart Array

Description	Options Part #
HP StorageWorks Modular Smart Array 50 Enclosure	364430-B21

[top](#)

HP StorageWorks 60 Modular Smart Array

Description	Options Part #
HP StorageWorks 60 Modular Smart Array	418408-B21

[top](#)

HP StorageWorks 70 Modular Smart Array

Description	Options Part #
HP StorageWorks 70 Modular Smart Array Enclosure	418800-B21

[top](#)

Uninterruptible Power Systems - Tower

Description	Options Part #
HP T1500 G3 UPS Models	
HP T1500 G3 UPS	AF451A
HP T1000v Uninterruptible Power System	

[top](#)

Uninterruptible Power Systems - Rack

Description	Options Part #
HP R1500 G2 UPS	
HP, R1.5kVA UPS, 1U, INTL	AF418A
HP, R1.5kVA UPS, 1U, JPN/TW	AF421A
HP R3000 UPS	
HP R3000 VA UPS, 2U, L5-30	AF422A
HP R3000 VA UPS, 2U, DTC, INTL	AF414A
HP R3000 VA UPS, 2U, High voltage L6-20, JPN	AF424A
HP R3000 VA UPS, 2U, Low voltage L5-30, JPN	AF425A
HP R3000v Uninterruptible Power System	
HP R3000v UPS	AF444A
NOTE: The R3000v is available in China and India only.	
HP R/T3000 Uninterruptible Power System (UPS)	
HP R/T3000 UPS, Low voltage NA/JPN	AF452A
HP R/T3000 UPS, High voltage, NA/JPN	AF453A
HP R/T3000 UPS, High voltage, detachable inlet cord INTL	AF454A
HP Rack-Mountable R5500 UPS	
HP R5500 VA UPS, INTL	AF416A

[top](#)

HP Monitored Power Distribution Unit (PDU)

Description	Options Part #
17.3 kVA Monitored PDU Model S2324	AF503A
8.6 kVA Monitored PDU Model S1324	AF504A
16.6 kVA Monitored PDU Model S2140	AF505A
8.3 kVA Monitored PDU Model S1140	AF506A
HP 22.1 kVA S2316	AF507A
HP 11 kVA S1316 Monitored PDU- single input	AF508A
HP 14.7 kVA S2132 Monitored PDU- dual input	AF509A
HP 7.3 kVA S1132 Monitored PDU- single input	AF510A
HP Monitored Power Distribution Unit: Half Rack Version	
HP 7.3 kVA S132 Monitored PDU- single input	AF915A

[top](#)

Modular Power Distribution Units 1U/0U (up to 32 outlets)

NOTE: 1U/0U mounting brackets shipped with the unit (optimized for 10000 and 9000 series racks).

Description	Options Part #
Fixed Cord Extension Bars	351655-

Description	Options Part #
NOTE: Two extension bar sticks; each with (7) C13 plugs.	B21
3.6kVA Model - mPDU, 16A, High (WW)	252663-B24
HP Modular Power Distribution Units (mPDU), Low Volt Model, 24A (100-127 VAC)	252663-D71
NOTE: This mPDU (252663-D71) may also be used to connect the low volt model of the UPS R3000 XR.	
HP Modular Power Distribution Units (mPDU), High Volt Model, 24A (200-240 VAC)	252663-D72
7.3kVA Model - mPDU, 32A, High (INTL)	252663-B31
8.3kVA Model - mPDU, 40A, High (WW)	252663-B21
9.2kVA Model - mPDU, 40A, High (power cord attached) (INTL)	252663-B32
HP Modular Power Distribution Units (mPDU), High Volt Model, 40A, Attached Cord	252663-D73
NOTE: This PDU has a detachable input power cord and may also be used with the high volt UPSs R3000 XR and R6000, need to order cable PN 340653-001.	

[top](#)

USB and SD options

Description	Options Part #
HP USB 2-Button Optical Scroll Mouse (Carbonite/Silver)	DC172B
1.44 MB External USB Floppy Drive	DC141B
HP USB 04 Standard Keyboard	DT528A#ABA
HP 1GB USB 2.0 Floppy Drive Key	442085-B21

[top](#)

HP Rack 5000 Series (Graphite Metallic)

Description	Options Part #
HP 5642 Rack-Unassembled	358254-B21
NOTE: Click Here to see the HP Rack 5642 QuickSpecs for additional part numbers and Technical Specifications such as height, width, depth, weight, and color.	
NOTE: Click Here for additional information regarding Rack Cabinets.	

[top](#)

HP Rack 10000 G2 Series (Carbon/Graphite Metallic)

Description	Options Part #
10642 G2 (42U) Rack Cabinet - Pallet	AF001A
10642 G2 (42U) Rack Cabinet - Shock Pallet	AF002A
10642 G2 (42U) Rack Cabinet - Crated	AF003A
10642 G2 (42U) Rack Cabinet, with Extension - Shock Pallet	AF004A
10636 G2 (36U) Rack Cabinet - Pallet	AF011A
10636 G2 (36U) Rack Cabinet - Shock Pallet	AF012A
10636 G2 (36U) Rack Cabinet - Crated	AF013A
10636 G2 (36U) Rack Cabinet, with Extension - Shock Pallet	AF014A
10622 G2 (22U) Rack Cabinet - Pallet	AF021A
10622 G2 (22U) Rack Cabinet - Shock Pallet	AF022A
10642 G2 (42U) Rack Cabinet 1200mm Deep - Shock Pallet	AF034A
10642 G2 (42U) Rack Cabinet 1200mm Deep - Pallet	AF038A
10842 G2 (42U) 800mm Wide Rack Cabinet - Pallet	AF041A
10842 G2 (42U) 800mm Wide Rack Cabinet - Shock Pallet	AF042A
10647 G2 (47U) Rack Cabinet - Pallet	AF031A
HP S10614 (14U) Rack Cabinet - Shock Pallet	292302-

Description	Options Part #
	B22
10647 G2 (47U) Rack Cabinet 1200mm Deep - Shock Pallet	AF044A
NOTE: Due to handling and shipping requirements, AF044A is only orderable through HP Factory Express. It is not for direct sales. Customer site surveys are required before an order is approved. CTO orders may require additional lead time.	
10647 G2 (47U) Rack Cabinet 1200mm Deep - Pallet	AF045A
NOTE: It is mandatory to use a shock pallet when shipping racks with equipment installed.	
NOTE: xxxxxx-B22 (shock pallet) used to ship racks with equipment installed (by custom systems, VARs and Channels).	
NOTE: Click Here to see the Rack 10000 G2 QuickSpecs for Technical Specifications such as height, width, depth, weight, and color.	
NOTE: Click Here for additional information regarding Rack Cabinets.	

[top](#)

HP Rack Options

Keyboards and Monitors	
TFT7600 Rackmount Keyboard Monitor US	AG052A
TFT7600 Rackmount Keyboard Monitor UK	AG053A
TFT7600 Rackmount Keyboard Monitor GR	AG054A
TFT7600 Rackmount Keyboard Monitor FR	AG055A
TFT7600 Rackmount Keyboard Monitor IT	AG056A
TFT7600 Rackmount Keyboard Monitor SP	AG057A
TFT7600 Rackmount Keyboard Monitor DEN	AG058A
TFT7600 Rackmount Keyboard Monitor NOR	AG059A
TFT7600 Rackmount Keyboard Monitor SE/FI	AG060A
TFT7600 Rackmount Keyboard Monitor SWI	AG061A
TFT7600 Rackmount Keyboard Monitor PORT	AG062A
TFT7600 Rackmount Keyboard Monitor BEL	AG063A
TFT7600 Rackmount Keyboard Monitor JPN2	AG064A
TFT7600 Rackmount Keyboard Monitor RUS	AG065A
TFT7600 Rackmount Keyboard Monitor INTL	AG066A
HP TAA TFT7600 US Rkmntkybd 17in Monitor	AG067A
1U Rackmount Keyboard with USB, US	AG072A
1U Rackmount Keyboard with USB, UK	AG073A
1U Rackmount Keyboard with USB, GR	AG074A
1U Rackmount Keyboard with USB, FR	AG075A
1U Rackmount Keyboard with USB, ITL	AG076A
1U Rackmount Keyboard with USB, SP	AG077A
1U Rackmount Keyboard with USB, DEN	AG078A
1U Rackmount Keyboard with USB, NOR	AG079A
1U Rackmount Keyboard with USB, SE/FI	AG080A
1U Rackmount Keyboard with USB, SWI	AG081A
1U Rackmount Keyboard with USB, PORT	AG082A
1U Rackmount Keyboard with USB, BEL	AG083A
1U Rackmount Keyboard with USB, JPN2	AG084A
1U Rackmount Keyboard with USB, RUS	AG085A
1U Rackmount Keyboard with USB, INTL	AG086A
HP KVM Switch Options	
2x1x16 IP Console Switch with Virtual Media	AF601A
4x1x16 IP Console Switch with Virtual Media	AF602A
1x1Ex8 KVM IP Console Switch G2 with Virtual Media and CAC	AF620A
2x1Ex16 KVM IP Console Switch G2 with Virtual Media and CAC	AF621A
4x1Ex32 KVM IP Console Switch G2 with Virtual Media and CAC	AF622A
2x16 Server Console Switch with Virtual Media	AF600A

0x2x16 KVM Server Console G2 Switch with Virtual Media and CAC	AF618A
0x2x32 KVM Server Console G2 Switch with Virtual Media and CAC	AF619A
PS/2 Virtual Media Interface Adapter, 1 pack	AF604A
Server console switch 0x2x8	AF616A
Server console switch 0x2x16	AF617A
HP TAA Server console switch 0x2x16	AF626A
PS/2 Interface Adapter, 1 pack	262588-B21
PS/2 Interface Adapter, 8 pack	262587-B21
HP 1x4 Console Switch	AF611A
PS2 Server Console Cable, 6 ft, 2 pack	AF612A
USB Server Console Cable, 6 ft, 2 pack	AF613A
HP Serial Console Server Options	
HP 16 Port Serial Console Server (worldwide)	AF101A
HP 48 Port Serial Console Server (worldwide)	AF102A
Serial Adapter, RJ45-DB9 DCE Female, 1 Pack	AF103A
Serial Adapter, RJ45-DB9 DCE Female, 8 Pack	AF110A

HP KVM Switch Options

Description	Options Part #
2x1x16 IP Console Switch with Virtual Media	AF601A
4x1x16 IP Console Switch with Virtual Media	AF602A
2x16 Server Console Switch with Virtual Media	AF600A
PS/2 Virtual Media Interface Adapter, 1 pack	AF604A
NOTE: Requires PS/2 and one USB port on server.	
Server Console Switch (KVM), 0 x 1 x 8 port	336044-B21
Server Console Switch (KVM), 0 x 2 x 16 port	336045-B21
PS/2 Interface Adapter, 1 pack	262588-B21
PS/2 Interface Adapter, 8 pack	262587-B21
NOTE: Cat5e cables are required to connect Interface Adapters to Console Switches. Click Here for more information on Cat5e cables.	
HP 1x4 Console Switch	AF611A
PS2 Server Console Cable, 6 ft, 2 pack	AF612A
USB Server Console Cable, 6 ft, 2 pack	AF613A
NOTE: Click Here for additional information regarding KVM switches, Serial Console servers, rack mount monitors, keyboards and all related options please see the following URL.	

[top](#)

HP Serial Console Server Options

Description	Options Part #
HP 16 Port Serial Console Server	AF101A
HP 48 Port Serial Console Server	AF102A
Serial Adapter, RJ45-DB9 DCE Female, 1 Pack	AF103A
Serial Adapter, RJ45-DB9 DCE Female, 8 Pack	AF110A
NOTE: Cat5e cables are required to connect Serial Adapters to Serial Console Servers. Click Here for additional Serial Adapters and Cat5e cables.	
NOTE: Click Here for additional information regarding KVM switches, Serial Console servers, rack mount monitors, keyboards and all related options please see the following URL.	

[top](#)

Service and Support Offerings

Description	Options Part #
-------------	----------------

Hardware Services On-site Service	
NOTE: To attach 3 year, 4-Hour On-site Service to Smart Buy servers, Smart Buy Care Packs must be used. For other service levels, order standard Care Pack part numbers.	
4-Hour On-site Service, 5-Day x 13-Hour Coverage, 3 Years, Electronic	U4528E
4-Hour On-site Service, 7-Day x 24-Hour Coverage, 3 Years, Electronic	U4529E
NOTE: Use one of the following Smart Buy Care Packs to attach 3 year, 4-Hour On-site Service to Smart Buy servers. For other service levels, order standard Care Pack part numbers.	
ML370 Smart Buy 4-Hour On-site Service, 5-Day x 13-Hour Coverage, 3 Years, Electronic	UE903E
ML370 Smart Buy 4-Hour On-site Service, 7-Day x 24-Hour Coverage, 3 Years, Electronic	UE904E
Hardware Services 6-Hour Call to Repair On-site Service	
6-Hour Call to Repair, On-site Service, 7-Day x 24-Hour Coverage, 3 Years, Electronic	U4530E
Installation & Start-up Services	
Hardware Installation, Electronic	U4538E
Installation & Start-Up of a ProLiant server and Microsoft or Linux O/S per the Customer Description and/or Data Sheet. To be delivered on a scheduled basis 8 am - 5 pm, M-F, excl. HP holidays, Electronic	U4539E
Support Plus	
Onsite HW support, 8am-9pm, M-F, 4hr response and Microsoft O/S SW Tech support offsite, onsite at HP's discretion, 8am-9pm, M-F 2hr response time excl. HP holidays, Electronic	U4540E
Support Plus 24	
Onsite HW support 24x7, 4hr response and Microsoft O/S SW Tech support offsite, onsite at HP's discretion, 24x7 2hr response time incl. HP holidays, Electronic	U4541E
Onsite HW support 24x7, 4hr response and SuSE Linux SW Tech support offsite, onsite at HP's discretion, 24x7 2hr response time incl. HP holidays, Electronic	U6311E
Onsite HW support 24x7, 4hr response and Red Hat ES Linux SW Tech support offsite, onsite at HP's discretion, 24x7 2hr response time incl. HP holidays, Electronic	U8333E

[top](#)

Provide feedback

Please rate the information on this page to help us improve our content. Thank you!

Was the information on this page helpful?

[Very helpful](#)

[Somewhat helpful](#)

[Not helpful](#)