



////////////////////////////////////
SPECIFICATION FOR APPROVAL
////////////////////////////////////

CUSTOMER : 01097 REV.00
ARTICLE: INTERCHANGEABLE PLUG
STANDARD : UL
DYS PART NO.: DYS612-KUS
CUSTOMER PART NO.: 15DYS-CH

供应商确认			客户确认		
Made by	Checked by	Approved by	Made by	Checked by	Approved by
赵 柳	章 广	宾 成			

IDEAL POWER LTD

Add: 14 Larks Way, Tree Beech Enterprise Park, Gunn, Barnstaple, Devon,
England EX32 7NZ.

TEL: +44(0) 845 2603400

FAX: +44(0) 845 2603401

E-mail: sales@ideалpower.co.uk

[Http://www.idealpower.co.uk](http://www.idealpower.co.uk)

IDEAL POWER LTD
SWITCHING MODE POWER SUPPLY
SPECIFICATION

Model No.:

REV.00

Date: 2018/03/06

CONTENTS

1. PLUG Drawing:	3
2. Package Drawing:	4

Made by: 赵 柳


Checked by: 章 广

Approved by: 宾成^{2 of 4}

IDEAL POWER LTD
SWITCHING MODE POWER SUPPLY
SPECIFICATION

Model No.: REV.00 Date: 2018/03/06

1. PLUG Drawing:



Made by: 赵柳

Checked by: 章广

Approved by: 3 of 4
宾成

IDEAL POWER LTD
SWITCHING MODE POWER SUPPLY
SPECIFICATION

Model No.:

REV.00

Date: 2018/03/06

2. Package Drawing:

PLASTIC BAG/PE袋






WHITE BOX/白盒



CARDBOARD/纸板



PAPER CASE/纸箱



MECHANICAL DIMENSION:

	L(mm)	W(mm)	H(mm)
PLASTIC BAG	110	80	
WHITE BOX	76	50	65
CARDBOARD	395	215	
PAPER CASE	405	225	285

PACKING METHOD:

PACKING METHOD	80PCS/LAYER * 4 LAYERS
QTY	320PCS
N.G	2.4Kg
G.W	3.5Kg

Made by: 赵 柳

Checked by: 章 广

Approved by: 宾成^{4 of 4}