

Data Sheet

LL01ED-AFDxxL06


XM-L Color


■ Features & Typical Applications

- High efficiency
- Available with 1 beam angel
- Optimized for uniform effect
- Lens without Housing
- SpotLight
- Architectural Lighting
- Stage Lighting

■ Table of Contents


General Information & Product Nomenclature.....	P.2
Optical Specifications	P.3
Mechanical Specifications	P.4
Package Specifications	P.5

LL01ED-AFDxxL06

General Information

- Lens Material Optical Grade PMMA
- Operating Temperature range -40°C~+70°C(upper limit +80°C)
- Storage Temperature range -40°C~+70°C(upper limit +80°C)
 - * Average transmittance in visible spectrum 400nm~700nm>90%
- Usage and Maintenance:
 1. If necessary, clean lenses with mild soap, water and soft cloth.
 2. Never use any commercial cleaning solvents on lenses, like alcohol.
 3. Please handle or install lenses with wearing gloves, skin oils may damage lens or its optical characteristic.

Product Nomenclature




LL01ED-AFDxxL06

Optical Specifications



XM-L Color

Note: (1) All the results of analysis are based on 0 degrees of elevation.
(2) Tolerance: $\pm 10\%$.
(3) Led Luminous Flux(lm): 185($\pm 5\%$).



*Current series also come with AFD20 . However, the performance with the LED is not satisfied hence it will not demonstrate here.

*The Field Angle is the angle between the two directions opposed to each other over the beam axis for which the luminous intensity is 10% that of the maximum luminous intensity.

*This testing result is obtained through testing the popular rank LED samples which provided by the original manufacturer. Hence, the testing results would be varied as the users choose same LED model but different rank.

LL01ED-AFDxxL06

Mechanical Specification

1. Fixing method

☐ Glue

☐ Screw


☐ Tape

☐ Fixing-ring

☒ Frame

Note: (1) All dimensions are in mm.
 (2) All measurements are ± 0.15 mm unless otherwise indicated.

2. Lens dimensions




4. Lens assembly dimensions

3. Lens + Leds + MCPCB assembly instruction




5. View assembly lens with MCPCB:



LL01ED-AFDxxL06

Package Specifications

Item	Quantity	Total	Size(L*W*H)	G.W
Plastic bag	1pcs/plastic bag	1 pcs	60*10 cm	5.1g
Outer bag	250 pcs/plastic box	250 pcs	36*38 cm	
Outer box	4 plastic box/Outer box	1000 pcs	37*21*40 cm	



Note: