

Part Number: 1202540012

**Product Description : Contrinex Photoelectric** 

Sensor, C12 (13.5 x 21.8mm) Housing, Background Suppression, 1 - 18mm Operating Distance, PNP, Light-ON, 0.2m 3-wire PVC Cable, 3-pin M8 Connector

Status: Active

**Engineering Number:** LHR-C12PA-NSV-303

Series Number: 120254

**Product Category :** Inductive and Photoelectric Sensors

#### **Documents & Resources**

### **Specifications**

Product Specification 1202540010-000.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **EU RoHS Certificate of Compliance**

#### **Part Details**

## General

Status	Active
Category	Inductive and Photoelectric Sensors
Series	120254
Description	Contrinex Photoelectric Sensor, C12 (13.5 x 21.8mm) Housing, Background Suppression, 1 - 18mm Operating Distance, PNP, Light-ON, 0.2m 3-wire PVC Cable, 3-pin M8 Connector
IP Rating	IP67
Operating Principle	Background Suppression
Product Family	Contrinex Inductive and Photoelectric Sensors
Product Name	Contrinex
Туре	Photoelectric
UPC	191130066384

## Electrical

Polarity	PNP
Switching Frequency	≤ 800 Hz

# Physical

Connection	Cable (PVC 0.2m, 3-wire), Connector (M8, 3-pin)
Housing Size	13.5 x 21.8mm
Material - Housing	ABS
Material - Window	PMMA
Operating Distance	1 - 18mm
Output	Light-ON
Sensor Housing Size	C12
Temperature Range - Operating	-20° to +50°C