

This document was generated on 02/29/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 1201148012					
		<u>1201148012</u>			
	Status:	Active			
	Overview:	Brad® Micro-Change® (N	ange® (M12) Connectors		and the
	Description:	Micro-Change® (M12) Mo	olded Junction Box, Top Mount, 4 Poles/4 Ports, LEDs for		- The at
		PNP sensors, with Molde	d PUR Cable, 10.0m Length		
	Documents:				
	Drawing (PDF)		Packaging Specification 1922-00000-00002 (PDF)		
	Product Specification	PS-120005-001 (PDF)	RoHS Certificate of Compliance (PDF)		
	Agency Certification			Series image - Reference only	
	CSA		LR6837		
	UL		E152210	EU ELV	
	- ·			Not Relevant	
	General		Descise Distribution Desci		
	Product Family		Passive Distribution Boxes	EU RoHS	<u>China RoHS</u>
	Series		<u>120114</u>	Compliant with	
	IP Rating			Exemption 6(c)	
	NEMA Rating		NEMA 6 Brad® Miara Change® (M12) Connectors	REACH SVHC	
	Overview		Brad® Micro-Change® (M12) Connectors	Contained Per -	
	Product Name UPC		Micro-Change® (M12) 883906408022	ED/108/2014 (17 E	Jec
	UPC		663906406022	2014)	
	Physical			Halogen-Free	
	Bus I/O		Micro-Change® (M12)	Status	
	Cable Connector Orientation		Straight	Not Low-Halogen	
	Cable Length		10.0m	Need more information on product environmental compliance?	
	Home Run Cable Length		N/A	environmental co	mpliance?
	Home Run Connector		N/A	Email productcom	oliance@molex.com
	Home Run Interface		N/A	Please visit the <u>Contact Us</u> section for any	
	Keyway		Single	non-product compl	
	LED Indicator		Yes		
	Material - Cable Jacke	et	PUR	China ROHS	50 Image
	Material - Housing		PBT	ELV	Not Relevant
	Material - Metal		Copper Alloy		
	Material - Plating Mati	ng	Gold over Nickel]
	Net Weight		1162.322/g	Search Parts in this Series	
	Orientation		Top Mount	120114 Series	
	Poles		4		
	Poles (wired)		4		
	Ports	0 <i>i</i>	4		
	Temperature Range -	Operating	-5°C to +90°C		
	Wiring Configuration		Single I/O per Port		
	Electrical				
	Current - Maximum per Contact		12.0A per module, 4.0A per port		
	Functional Wiring		PNP		
	Voltage - Maximum		10-30V DC		
	-				
	Material Info Old Part Number				
			BTY400P-FBP-10		
	Reference - Drawing	Numbers			
	Packaging Specificati		1922-00000-00002		
	- uunuunu opeunuan				

Packaging Specification Product Specification Sales Drawing

1922-0000-00002 PS-120005-001 SD-120005-015 This document was generated on 02/29/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION