


1. IDENTIFICATION: VERTICAL, MIXED (24) C-13 & (6) C-19 NETWORKED  
200V / 20A / SINGLE-PHASE POU



3. DIMENSIONS IN PARENTHESES ARE METRIC (mm).

4. CURRENT METER - RED, 4-DIGIT LED DISPLAY PROVIDES TRUE RMS CURRENT THAT CONTINUOUSLY SCROLLS THROUGH THE MEASURED CURRENT. METER DISPLAYS CIRCUIT NAME (E.G. CR-1 REPRESENTS PHASE 1) FOLLOWED BY THE TOTAL MEASURED CURRENT. CIRCUIT LEVEL MONITORING CAN ALSO BE ACCESSED REMOTELY VIA ETHERNET CONNECTION.

5. UNIT IS PSE<sup>®</sup> MARKED.

6. RoHS COMPLIANT.

7. VISIT OUR ON-LINE CATALOG AT [WWW.PANDUIT.COM](http://WWW.PANDUIT.COM) FOR A CURRENT LIST OF PRODUCTS APPLICABLE FOR USE WITH THIS PART.

8. MAXIMUM AVAILABLE INPUT POWER = 3.3 KW

9. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES.

Technical drawing of a rectangular plate. The plate has a width of 64.75 (1644.7) and a height of 10.0 (254.0). There are four holes, each with a diameter of 1.0 (25.4). The holes are located at the corners of the plate. The distance from the center of each hole to the nearest edge is 1.0 (25.4).


## TOOLLESS MOUNTING BUTTON LOCATION

66.25 (1682.8)




NETWORKED CURRENT METER  
(SEE DETAIL A)

This elevation view shows a roof section with a networked current meter. The roof is represented by a horizontal line with a vertical line extending downwards from it. A dimension line indicates a height of 66.25 (1682.8). A label points to the networked current meter, which is shown as a small rectangular box with a vertical line extending downwards from it.

NETWORKED CURRENT METER  
(SEE DETAIL A)



— 3 METER INLET POWER CORD



01A	9-14-12	PIP	MRWA	B. UPDATED DETAIL A. C. ADDED BUTTON MOUNTING NOTE.	09V098ZK					
00B	2-24-12	MRWA	KRKE	A. CHANGED LENGTH OF M6 SCREW FROM 15mm	09V098ZK					
00A	11-3-11	MRWA	KRKE	RELEASED TO PRODUCTION	09V098ZK					
REV	DATE	BY	CHK	DESCRIPTION	ECN - R	CUST	SUP	OTH		

MODEL FILENAME		09V098ZK/01.PRT	
CAD FILENAME/LAYERS		09V098ZK_DC/01A.PRT	
PANDUIT CORP    TINLEY PARK, ILLINOIS			
VERTICAL, MIXED (24) C-13 & (6) C-19 NETWORKED POWER OUTLET UNIT CUSTOMER DRAWING			
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:		UNLESS OTHERWISE SPECIFIED,	
INCHES X.X    +/- 0.03 X.XX   +/- 0.015 X.XXX +/- 0.005		[METRIC - MILLIMETER] X.    +/- 0.8 X.X   +/- 0.4 X.XX +/- 0.13	ANGLE +/- 1°
ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION			
DRAWN BY MRWA		SCALE NONE	
DATE 11-3-11		DRAWING NO. 09V098ZK	
CHK'D KRKE		DWG B	