

https://www.phoenixcontact.com/us/products/1364837



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



SNS 74-S1 sensor from Micromega Dynamics for detecting vibrations, damage, and imbalances on the rotor blade of wind turbine generators. Dual-axis accelerometer with temperature measurement. The measured values are available as 4 – 20 mA signals.

Product description

The WIL-SHM-S SENSOR is a specially optimized sensor for use in wind turbine generators (WTGs) with a dual-axis accelerometer and temperature measurement. The sensor is attached to the inside of the rotor blade using the WIL-GFK-MOUNTING PLATE mounting panel (see "Accessories" tab). Together with a WIL-BI switchgear and controlgear assembly, it is possible to measure vibrations and imbalances on the rotor blade. This enables the early detection of damage to the WTG. Three sensors are required per WTG.

The item is part of the Blade Intelligence rotor blade monitoring system for wind turbine generators (WTGs). The Blade Intelligence rotor blade monitoring system allows for recording and detailed analysis of typical measured values for lightning currents, temperature, ice thickness, bending moments, vibration, and imbalances on the rotor of a WTG. It consists of the corresponding sensors, preassembled connecting cables, and a WIL-BI switchgear and controlgear assembly (as the evaluation unit).

Your advantages

- · Robust sensor for use in the rotor blade of a WTG
- · Proactive monitoring of the rotor blade
- · Proven technology, optimized for the wind industry

Commercial data

Item number	1364837
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DT02
Product key	DTHABA
GTIN	4063151711344
Weight per piece (including packing)	300 g
Weight per piece (excluding packing)	300 g
Customs tariff number	90303320
Country of origin	DE



1364837

https://www.phoenixcontact.com/us/products/1364837

Technical data

Notes

Note regarding documentation	For further technical data and installation notes, see the packing slip and data sheet, "Downloads" tab
Product properties	
Product type	Sensor
Dimensions	
External dimensions	
Width / Height / Depth	127 mm / 125 mm / 59.2 mm
Mounting	

٨

Mounting type Screw mounting



1364837

https://www.phoenixcontact.com/us/products/1364837

Classifications

ECLASS

_`	72				
	ECLASS-11.0	27143137			
	ECLASS-12.0	27143137			
	ECLASS-13.0	27143137			
ΕΊ	ETIM				
	ETIM 9.0	EC000926			
UNSPSC					
	UNSPSC 21.0	43201500			



1364837

https://www.phoenixcontact.com/us/products/1364837

Environmental product compliance

EU RoHS

o exemptions
<u> </u>
ardous substances above the limits
stance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com