

# Product data sheet

Specifications

## Rack ATS, 120 V, 20 A, L5-20 IN, (10) 5-20R Out



AP4452

⚠ Discontinued on: Jun 9, 2023

⚠ Discontinued

### Overview

Lead Time Usually in Stock

### Main

Main Input Voltage	120 V
Main Output Voltage	120 V
Input Connection Type	NEMA L5-20P
Number Of Rack Unit	1U
Cable Length	2.44 m
Number Of Cables	2
Provided Equipment	Mounting hardware Rack mounting brackets Serial configuration cable

### Physical

Colour	Black
Height	4.4 cm
Width	43.2 cm
Depth	23.6 cm
Net Weight	4.4 kg
Mounting Location	Front Rear
Mounting Preference	No preference
Mounting Mode	Rack-mounted

### Input

Network Frequency	50/60 Hz
[In] Rated Current	16 A
Max Line Current	20 A
Input Current Limits	20 A
Load Capacity	1920 VA

### Output

Max Current Draw	20 A
------------------	------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Power Socket Outlets	10 NEMA 5-20R
Protection Type	Without circuit breaker

## Conformance

Standards	EN 55022 class A FCC part 15 class A
-----------	---

## Environmental

Ambient Air Temperature For Operation	-5...45 °C
Relative Humidity	5...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage Altitude	0.00...15240.00 m

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.4 cm
Package 1 Width	35.6 cm
Package 1 Length	60 cm
Package 1 Weight	6.17 kg

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

# Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back   Transparency   RoHS/REACH

## Resource performance

✔ Take-Back Program Available

## Well-being performance

✔ Lead Free

✔ Mercury Free

✔ Rohs Exemption Information   [Yes](#)

## Certifications & Standards

Reach Regulation   [REACH Declaration](#)

Eu Rohs Directive   Compliant with Exemptions

Environmental Disclosure   [Product Environmental Profile](#)

Circularity Profile   [End of Life Information](#)