

Product data sheet

Specifications



Rack PDU, Basic, Half Height, 200-208V, 30A, (14) C13, (2) C19

AP6002A

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Cord length	3.05 m
Provided equipment	Installation guide Safety guide

Complementary

Input Voltage	208 V
Height	83.3 cm
Width	5.6 cm
Output Voltage	200 V 208 V
Depth	4.7 cm
Net weight	2.78 kg
Mounting location	Side
Mounting preference	Lower
Input Plug Type	NEMA L6-30P
Mounting mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
[In] rated current	24 A
Permissible voltage	200...240 V
Max line current	30 A
Input current limits	30 A
Load capacity	5000 VA
Network frequency	50/60 Hz
Outlet type and quantity	14 IEC 60320 C13 2 IEC 60320 C19

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

Product certifications	cUL listed UL listed
Ambient air temperature for operation	0...50 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-15...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	96.6 cm
Package 1 Width	13.7 cm
Package 1 Length	15.6 cm
Package 1 Weight	3.24 kg
SCC14	10731304327636

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

Well-being performance

✓ Lead Free

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information