

Rack PDU, Basic, Zero U, 14.4kW, 208 V, (6) C19 & (3) C13, High Temp

AP7567A

! Discontinued on: Jun 14, 2022



#### **Overview**

Lead Time Usually in Stock

### Main

Colour	Black	
Pdu Type	Basic	
Cord Length	1.83 m	
Number Of Cables	1	
Provided Equipment	Cord retention bracket(s) Rack mounting brackets Toolless mounting kit	

# Complementary

Input Voltage	208 V 3 phases
Height	92.7 cm
Width	5.5 cm
Output Voltage	208 V
Depth	8.8 cm
Net Weight	7.26 kg
Mounting Location	Side
Mounting Preference	No preference
Mounting Mode	Rack-mounted
Rack Units	OU
Mounting Position	Vertical
[In] Rated Current	40 A
Max Line Current	40 A
Input Current Limits	50 A
Load Capacity	12500 VA
Network Frequency	4763 Hz
Number Of Input Connectors	1 CS8365
Total Number Of Outlets	3 IEC 60320 C13 6 IEC 60320 C19

Apr 20, 2024 Life Is On Schneider

# **Environment**

Product Certifications	cUL listed METI Denan UL listed
Standards	CSA C22.2 No. 60950-1-03 UL 60950-1
Ambient Air Temperature For Operation	-560 °C
Relative Humidity	595 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-2565 °C
Storage Relative Humidity	595 %
Storage Altitude	0.0015240.00 m

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	106.7 cm
Package 1 Width	29.8 cm
Package 1 Length	8.3 cm
Package 1 Weight	8.742 kg

# **Contractual warranty**

Warranty 2 years repair or replace

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

#### Resource performance

**Energy Efficient Product** 



Take-Back Program Available

## Well-being performance



Lead Free

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information