

Product data sheet

Specifications



Rack PDU,Basic, Zero U,14.4kW, 208V,(24)C13,(4)C19,(2)L6-30R;3' Cord

AP7569

Overview

Presentation	Basic Rack PDU 14.4 kW solution for high density installations
Lead Time	Usually in Stock

Main

Colour	Black
Pdu Type	Basic
Cord Length	0.91 m
Number Of Cables	1
Provided Equipment	Cord retention bracket(s) Documentation CD Installation guide Rack mounting brackets Toolless mounting kit

Complementary

Input Voltage	208 V 3 phases
Height	177.8 cm
Width	5.6 cm
Output Voltage	208 V 3 phases
Depth	9.5 cm
Net Weight	7.32 kg
Mounting Location	Side
Mounting Preference	No preference
Mounting Mode	Rack-mounted
Rack Units	0U
Mounting Position	Vertical
[In] Rated Current	40 A
Input Current Limits	50 A
Load Capacity	14400 VA
Network Frequency	50/60 Hz
Number Of Input Connectors	1 CS8365
Total Number Of Outlets	2 NEMA L6-30R 24 IEC 60320 C13 4 IEC 60320 C19

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

Product Certifications	cUL listed CSA METI Denan UL listed
Standards	UL 60950
Ambient Air Temperature For Operation	-5...45 °C
Relative Humidity	5...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage Altitude	0.00...15240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	205.7 cm
Package 1 Width	31.1 cm
Package 1 Length	7.9 cm
Package 1 Weight	11.28 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

Well-being performance

✓ Lead Free

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information