


Product data sheet

Specifications

RACK ATS, 200-208V, 20A, L6-20 IN, (8) C13 (1) C19 OUT



AP7730

 **Discontinued on:** Nov 10, 2023

 **Discontinued**

Overview

Lead time Usually in Stock

Main

Main Input Voltage	200 V 208 V 230 V
Input Connection Type	NEMA L6-20P
Number of rack unit	1U
Cable length	2.4 m
Number of cables	2
Provided equipment	Documentation CD Installation guide Rack mounting brackets RS-232 configuration cable Warranty card

Physical

Height	4.4 cm
Width	43.2 cm
Depth	22.9 cm
net weight	5.02 kg
mounting location	Front Rear
Mounting preference	No preference
mounting mode	Rack-mounted

Input

Network frequency	47 ...63 Hz
[In] rated current	16 A
Max line current	20 A
Input current limits	20 A

Output

Max current draw	20 A
------------------	------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of power socket outlets	8 IEC 60320 C13
	1 IEC 60320 C19
Protection type	Without circuit breaker

Conformance

Standards	EN 55022 class A FCC part 15 class A
-----------	---

Environmental

Ambient air temperature for operation	-5...45 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.4 cm
Package 1 Width	34.9 cm
Package 1 Length	60 cm
Package 1 Weight	6.8 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back Transparency RoHS/REACH

Resource performance

✓ Take-Back Program Available

Well-being performance

✓ Lead Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)