Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Rack PDU, Metered, 2U, 30A, 208V, (12) C13s & (4) C19



AP7811B

Overview

Lead time Usually in Stock

Main

product or component type	PDU	
PDU type	Metered	
Cord length	3.7 m	
Number of cables	1	
Provided equipment	Cord retention bracket(s) Installation guide Rack mounting brackets User manual	

Complementary

J		
Input Voltage	200 V 208 V 230 V	
Height	8.8 cm	
Width	44.4 cm	
Output Voltage	208 V	
Depth	11.2 cm	
net weight	3.36 kg	
mounting location	Front Rear	
Mounting preference	No preference	
Input Plug Type	NEMA L6-30P	
mounting mode	Rack-mounted	
Rack units	2U	
Mounting position	Horizontal	
[In] rated current	24 A	
Input current limits	30 A	
Load capacity	4992 VA	
Network frequency	50/60 Hz	
Outlet type and quantity	12 IEC 60320 C13 4 IEC 60320 C19	

Environment

Product certifications	cUL listed CSA PSE UL listed	
Standards	FCC part 15 class A ICES-003 UL 60950	
Ambient air temperature for operation	-545 °C	
Relative humidity	595 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	-2565 °C	
Storage Relative Humidity	595 %	
Storage altitude	0.000000000015240.000000000 m	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14 cm
Package 1 Width	36.8 cm
Package 1 Length	50.8 cm
Package 1 Weight	5.42 kg

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Ene

Energy Efficient Product



Take-Back Program Available

Well-being performance

Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information