# Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

RackPDU, Metered, ZeroU, 16A, 230V,(20)C13 &(4)C19; IEC309, 10 Ft Cord

AP7854

! Discontinued on: Jun 10, 2022



# **Overview**

Lead time While Supplies Last

### Main

Colour	Black	
PDU type	Metered	
Cord length	3.05 m	
Number of cables	1	
Provided equipment	Installation guide Rack mounting brackets Toolless mounting kit User manual	

# Complementary

Input Voltage	200 V 208 V 230 V
Height	161.9 cm
Width	5.6 cm
Output Voltage	230 V
Depth	4.4 cm
Net weight	4.32 kg
mounting location	Rear
Mounting preference	No preference
Input Plug Type	IEC 60309 16 A 2P + E
mounting mode	Rack-mounted
Rack units	OU
Mounting position	Vertical
Input current limits	16 A
Load capacity	3680 VA
Network frequency	4763 Hz
Outlet type and quantity	20 IEC 60320 C13 4 IEC 60320 C19

# **Environment**

Product certifications	CE VDE
Ambient air temperature for operation	-545 °C
Relative humidity	595 %
Operating altitude	010000 ft
ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.000000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	213.4 cm
Package 1 Width	15.2 cm
Package 1 Length	12.7 cm
Package 1 Weight	7.714 kg

# **Contractual warranty**

Warranty 2 years repair or replace

# **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Energy Efficient Take-back Transparency

# Resource performance

✓ Energy Efficient Product
 ✓ Take-Back Program Available

# Well-being performance

	Lead Free	
	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes

Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information