

Product data sheet

Specifications



Rack PDU, Metered, Zero U, 14.4kW, 208V, (6) C19, High Temp

AP7867A

⚠ Discontinued on: Nov 10, 2023

⚠ Discontinued

Overview

Lead time Usually in Stock

Main

Colour	Black
product or component type	PDU
PDU type	Metered
Cord length	1.8 m
provided equipment	Installation guide RS-232 configuration cable Toolless mounting kit Cord retention bracket(s) Rack mounting brackets

Complementary

Input Voltage	208 V 3 phases
Height	92.7 cm
Width	5.6 cm
Output Voltage	208 V
Depth	8.9 cm
net weight	8.18 kg
mounting location	Side
Mounting preference	No preference
mounting mode	Rack-mounted
Rack units	0U
USB compatible	No
Mounting position	Vertical
[In] rated current	40 A
Max line current	40 A
Input current limits	50 A
Load capacity	14400 VA
Network frequency	50/60 Hz
Number of input connectors	1 CS8365

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Outlet type and quantity	6 IEC 60320 C19
--------------------------	-----------------

Environment

Product certifications	cUL listed Industry Canada METI Denan UL listed VCCI
Standards	CSA C22.2 No. 60950-1-03 FCC part 15 class A ICES-003 UL 60950-1
Ambient air temperature for operation	-5...60 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	106.7 cm
Package 1 Width	8.3 cm
Package 1 Length	29.8 cm
Package 1 Weight	10 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency

Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

Well-being performance

✓ Lead Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)