

Rack PDU, Metered, Zero U, 5.7kW, 120&208V,(21)5-20&(6)L6-20; 10' Cord

AP7893

Discontinued on: Jun 14, 2022

(!) Discontinued

#### **Overview**

Lead Time Usually in Stock

### Main

Colour	Black
Pdu Type	Metered
Cable Length	3.05 m
Number Of Cables	1
Provided Equipment	Cord retention bracket(s) Installation guide Rack mounting brackets Toolless mounting kit

# Complementary

Main Input Voltage	208 V 3 phases
Height	177.8 cm
Width	5.6 cm
Main Output Voltage	120 V 208 V
Depth	4.4 cm
Net Weight	5.45 kg
Mounting Location	Side
Mounting Preference	No preference
Input Connection Type	NEMA L21-20P
Mounting Mode	Rack-mounted
Number Of Rack Unit	0U
Mounting Position	Vertical
[In] Rated Current	16 A
Input Current Limits	20 A
Load Capacity	5700 VA
Network Frequency	4763 Hz
Number Of Power Socket Outlets	21 NEMA 5-20R

6 NEMA L6-20R

# **Environment**

Product Certifications	cUL listed Industry Canada UL listed
Standards	CSA C22.2 No. 60950-1-03 FCC part 15 class A ICES-003 UL 60950-1
Ambient Air Temperature For Operation	-545 °C
Relative Humidity	595 %
Operating Altitude	015000 ft
Ambient Air Temperature For Storage	-2565 °C
Storage Relative Humidity	595 %
Storage Altitude	0.0015240.00 m

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

# **Contractual warranty**

Warranty 2 years repair or replace

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Energy Efficient Take-back Transparency

#### Resource performance

Energy Efficient Product

Take-Back Program Available

### Well-being performance

Lead Free
 Mercury Free
 Rohs Exemption Information

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information