# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





AP7901

Discontinued on: Jun 14, 2022

# ! Discontinued

# **Overview**

Lead time Usually in Stock

### Main

mann	
Colour	Black
product or component type	PDU
PDU type	Switched
Cord length	3.7 m
Number of cables	1
Provided equipment	Cord retention bracket(s) Horizontal mounting brackets User manual Installation guide

# Complementary

oompromontar y	
Input Voltage	100 V 120 V
Height	4.4 cm
Width	44.5 cm
Output Voltage	120 V
Depth	10.8 cm
net weight	2.27 kg
mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	NEMA L5-20P
mounting mode	Rack-mounted
Rack units	1U
Mounting position	Horizontal
[In] rated current	16 A
Permissible voltage	100120 V
Input current limits	20 A
Load capacity	2400 VA
Network frequency	50/60 Hz

Outlet type and quantity 8 NEMA 5-20R

# **Environment**

Product certifications	cUL listed CSA Industry Canada UL listed
Standards	FCC part 15 class A ICES-003 UL 60950
Ambient air temperature for operation	045 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	095 %
Storage altitude	0.000000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

# **Contractual warranty**

Warranty 2 years repair or replace

# **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Energy Efficient Take-back Transparency

# Resource performance

	Energy Efficient Product
<b>⊘</b>	「ake-Back Program Available

Take-Back Program Available			
Well-being performance			
Lead Free			
Mercury Free			
Rohs Exemption Information	Yes		
Eu Rohs Directive	Compliant with Exemptions		
Environmental Disclosure	Product Environmental Profile		
Circularity Profile	End of Life Information		