





Usually in Stock

Rack mounting brackets

AP7911B

Overview

Lead Time

Main		
Main Input Voltage	200 V	
	208 V	
	230 V	
Main Output Voltage	208 V	
Input Connection Type	NEMA L6-30P	
Number Of Rack Unit	2U	
Cable Length	3.66 m	
Number Of Cables	1	
Provided Equipment	Documentation CD Installation guide	

Physical

Colour	Black	
Height	8.9 cm	
Width	44.4 cm	
Depth	25.4 cm	
Net Weight	6.32 kg	
Mounting Location	Front Rear	
Mounting Preference	No preference	
Mounting Mode	Rack-mounted	

Input

[In] Rated Current	24 A
Permissible Voltage	200240 V
Input Current Limits	30 A
Load Capacity	4992 VA
Network Frequency	50/60 Hz

Output

Number Of Power Socket Outlets 16 IEC 60320 C13

Conformance

Product Certifications	cUL listed CSA Industry Canada PSE UL listed
Standards	FCC part 15 class A ICES-003 UL 60950

Environmental

Ambient Air Temperature For Operation	045 °C
Relative Humidity	095 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-2565 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

Packing Units

Package 1 Height	14.6 cm	
Package 1 Width	51.4 cm	
Package 1 Length	51.4 cm	
Package 1 Weight	8.36 kg	

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM label label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products. Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Compliant

EU RoHS Declaration

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information