Specifications



# Rack PDU, Switched, Zero U, 20A, 100V, (24) 5-15

AP7930J

() Discontinued on: Jun 14, 2022

#### ① Discontinued

#### Overview

Lead time

Usually in Stock

#### Main

Colour	Black
PDU type	Switched
Cable length	3.05 m
Number of cables	1
provided equipment	Installation guide Rack mounting brackets Toolless mounting kit User manual

## Complementary

Main Input Voltage	100 V
	120 V
Height	161.9 cm
Width	5.6 cm
Main Output Voltage	100 V
Depth	4.4 cm
net weight	5.92 kg
mounting location	Side
Mounting preference	No preference
Input Connection Type	NEMA L5-20P
mounting mode	Rack-mounted
Number of rack unit	0U
USB compatible	No
Mounting position	Vertical
Input current limits	20 A
Network frequency	50/60 Hz
Number of power socket outlets	24 NEMA 5-15R

# Environment

Product certifications	METI Denan PSE VCCI
Ambient air temperature for operation	-545 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.00000000015240.000000000 m

## **Packing Units**

<u>U</u>	
Unit Type of Package 1	PCE
Number of Units in Package 1	1

## **Contractual warranty**

Warranty

2 years repair or replace

2

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Energy Efficient Take-back Transparency

G

#### **Resource performance**

Energy Efficient Product

Take-Back Program Available

## Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions
Eu Rohs Directive Environmental Disclosure	Compliant with Exemptions Product Environmental Profile