

# Product data sheet

Specifications



## Rack PDU, Switched, Zero U, 15A, 100/120V, (16) 5-15

AP7931

⚠ Discontinued on: Jun 30, 2021

⚠ End-of-service on: Jun 28, 2023

⚠ Discontinued

### Overview

Lead time Usually in Stock

### Main

Colour	Black
product or component type	PDU
PDU type	Switched
Cord length	3.05 m
Number of cables	1
Provided equipment	Cord retention bracket(s) Rack mounting brackets Toolless mounting kit User manual

### Complementary

Input Voltage	100 V 120 V
Height	124.5 cm
Width	5.6 cm
Output Voltage	120 V
Depth	4.4 cm
net weight	4.32 kg
mounting location	Side
Mounting preference	No preference
Input Plug Type	NEMA 5-15P
mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
[In] rated current	12 A
Permissible voltage	100...120 V
Input current limits	15 A
Load capacity	1440 VA
Network frequency	50/60 Hz

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Outlet type and quantity	16 NEMA 5-15R
--------------------------	---------------

## Environment

Product certifications	cUL listed CSA Industry Canada METI Denan UL listed VCCI
Standards	FCC part 15 class A ICES-003 UL 60950
Ambient air temperature for operation	-5...45 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0.0000000000...15240.0000000000 m

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	213.4 cm
Package 1 Width	12.7 cm
Package 1 Length	15.2 cm
Package 1 Weight	5.23 kg

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient   Take-back   Transparency

## Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

## Well-being performance

✓ Lead Free

✓ Mercury Free

✓ Rohs Exemption Information   [Yes](#)

**Eu Rohs Directive**   [Compliant with Exemptions](#)

**Environmental Disclosure**   [Product Environmental Profile](#)

**Circularity Profile**   [End of Life Information](#)