

Product data sheet

Specifications



Rack PDU, Switched, Zero U, 30A, 100V, (24) 5-15

AP7932J

⚠ Discontinued on: Dec 16, 2020

⚠ Discontinued - Service only

Overview

Lead Time Usually in Stock

Main

Main Input Voltage	100 V 120 V
Main Output Voltage	100 V
Plug Standard	NEMA L5-30P
Number Of Rack Unit	0U
Cable Length	3.05 m
Provided Equipment	Installation guide Rack mounting brackets Toolless mounting kit

Physical

Colour	Black
Height	177.8 cm
Width	5.6 cm
Depth	4.4 cm
Net Weight	7.39 kg
Mounting Location	Side
Mounting Preference	No preference
Mounting Mode	Rack-mounted
Usb Compatible	No

Input

Input Current Limits	30 A
Load Capacity	3000 VA
Network Frequency	50/60 Hz

Output

Number Of Power Socket Outlets 24 NEMA 5-15R

Conformance

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product Certifications	METI Denan PSE VCCI
------------------------	---------------------------

Environmental

Ambient Air Temperature For Operation	-5...45 °C
Relative Humidity	5...95 %
Operating Altitude	0...15000 ft
Ambient Air Temperature For Storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage Altitude	0.00...15240.00 m

Packing Units

Package 1 Weight	8.3 kg
Package 1 Height	213.4 cm
Package 1 Width	15.2 cm
Package 1 Length	12.7 cm
Number Of Units In Package 3	42

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Energy Efficient Take-back Transparency

Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Eu Rohs Directive [Compliant](#)
[EU RoHS Declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)