Specification

# Rack PDU, Switched, ZeroU, 12.5kW, 208V, (21) C13&(3) C19;3' Cord

AP7968B

## Overview

Lead time Usually in Stock

## Main

Colour	Black					
product or component type	PDU					
PDU type	Switched					
Cord length	0.9 m					
Number of cables	1					
Provided equipment	Cord retention bracket(s) Documentation CD Installation guide Rack mounting brackets RS-232 configuration cable Toolless mounting kit					

## Complementary

Input Voltage	208 V 3 phases				
Height	177.8 cm				
Width	5.6 cm				
Output Voltage	208 V				
Depth	8.9 cm				
net weight	8.08 kg				
mounting location	Side				
Mounting preference	No preference				
mounting mode	Rack-mounted				
Rack units	0U				
Mounting position	Vertical				
Max line current	35 A				
Input current limits	35 A				
Load capacity	12500 VA				
Network frequency	50/60 Hz				
Number of input connectors	1 CS8365				
Outlet type and quantity	21 IEC 60320 C13 3 IEC 60320 C19				

## **Environment**

Product certifications	cUL listed CSA Industry Canada UL listed				
Standards	FCC part 15 class A ICES-003 UL 60950				
Ambient air temperature for operation	-545 °C				
Relative humidity	595 %				
Operating altitude	010000 ft				
Ambient air temperature for storage	-2565 °C				
Storage Relative Humidity	595 %				
Storage altitude	0.000000000015240.000000000 m				

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	210.8 cm
Package 1 Width	12.7 cm
Package 1 Length	15.2 cm
Package 1 Weight	11.04 kg

## **Contractual warranty**

Warranty 2 years repair or replace

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

	<b>)</b>				-E			
н	293	alli	ce	nei	M	m	anc	•
•	•••	vui	$\sim$	$\sim$			41 I <b>V</b>	,,

Energy Efficient Product

Take-Back Program Available

#### Well-being performance

Lead Free

Mercury Free

Rohs Exemption Information

Yes

## **Certifications & Standards**

Reach Regulation

Eu Rohs Directive

Compliant with Exemptions

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information