Rack PDU, Switched, Zero U, 12.5kW,208V,(21)C13&(3)C19, 10' Cord

AP7998

- Discontinued on: Aug 23, 2021
- ! End-of-service on: Oct 8, 2021

Overview

(!) Discontinued

Lead time Usually in Stock

Main	
Colour	Black
product or component type	PDU
PDU type	Switched
Cord length	3.05 m
Number of cables	1
Provided equipment	Cord retention bracket(s) Documentation CD Installation guide Rack mounting brackets RS-232 configuration cable Toolless mounting kit

Complementary

Input Voltage	208 V 3 phases
Height	177.8 cm
Width	5.6 cm
Output Voltage	208 V
Depth	8.9 cm
net weight	9.67 kg
mounting location	Side
Mounting preference	No preference
mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Max line current	50 A
Input current limits	50 A
Load capacity	12500 VA
Network frequency	50/60 Hz
Number of input connectors	1 CS8365

Outlet type and quantity	21 IEC 60320 C13
	3 IEC 60320 C19

Environment

Product certifications	cUL listed CSA Industry Canada UL listed	
Standards	FCC part 15 class A ICES-003 UL 60950	
Ambient air temperature for operation	-545 °C	
Relative humidity	595 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	-2565 °C	
Storage Relative Humidity	595 %	
Storage altitude	0.000000000015240.000000000 m	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	212.1 cm
Package 1 Width	15.2 cm
Package 1 Length	12.7 cm
Package 1 Weight	12.873 kg

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy E

Energy Efficient Product



Take-Back Program Available

Well-being performance

Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information