

Product data sheet

Specifications



Power Cord Kit (6 ea), Locking, C13 to C14, 0.6m (2ft), North America, Blue

AP8702S-NAX590

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Plug Standard	IEC 60320 C14
Cable Length	0.61 m
Number Of Cables	6

Physical

Colour	Blue
Height	24 cm
Width	7 cm
Depth	4 cm
Net Weight	0.7 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Max Line Current	10 A
Input Current Limits	10 A

Output

Max Current Draw	10 A
Number Of Power Socket Outlets	1 IEC 60320 C13
Power Cable Length	0.61 m

Conformance

Product Certifications	CSA UL listed
------------------------	------------------

Environmental

Ambient Air Temperature For Operation	0...105 °C
Relative Humidity	20...80 %
Operating Altitude	0...10000 ft

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature For Storage	-25...105 °C
Storage Relative Humidity	20...80 %
Storage Altitude	0.00...15240.00 m

Packing Units

Package 1 Weight	0.7 kg
Package 1 Height	24 cm
Package 1 Width	7 cm
Package 1 Length	4 cm
Number Of Units In Package 3	540

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance



Take-Back Program Available

Well-being performance



Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)