

Product data sheet

Specifications

Rack PDU, Basic, 1U, 30A, 120V, (10)5-20



AP9560

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Colour	Black
Pdu Type	Basic
Cord Length	3.66 m
Number Of Cables	1
Provided Equipment	User manual Rack mounting brackets

Complementary

Input Voltage	100 V 120 V
Height	4.4 cm
Width	44.7 cm
Output Voltage	120 V
Depth	5.7 cm
Net Weight	2.5 kg
Mounting Location	Front Rear
Mounting Preference	No preference
Input Plug Type	NEMA L5-30P
Mounting Mode	Rack-mounted
Rack Units	1U
Mounting Position	Horizontal
[In] Rated Current	24 A
Permissible Voltage	90...132 V
Max Line Current	24 A
Input Current Limits	30 A
Load Capacity	2880 VA
Network Frequency	50/60 Hz
Total Number Of Outlets	10 NEMA 5-20R

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

Product Certifications	cUL listed UL listed
Standards	UL 60950
Ambient Air Temperature For Operation	-15...45 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25...65 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.2 cm
Package 1 Width	17.7 cm
Package 1 Length	48.6 cm
Package 1 Weight	3.64 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

Well-being performance

✓ Lead Free

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information