Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



APC 120Ah (C20 rating) Flooded Flat Plate Battery

APCBAT120AHFL

! Discontinued on: Sep 18, 2023

① Discontinued

Overview

Lead Time Usually in Stock

Main

Product Or Component Type	Replacement battery cartridge
Battery Type	Flat plate
Provided Equipment	User manual Warranty card

Batteries & Runtime

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cabinet
Battery Voltage	12 V
Number Of Battery Replacement Quantity	1

Physical

Colour	White
Height	30 cm
Width	51.2 cm
Depth	18.2 cm
Net Weight	24.1 kg
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature For Operation	2030 °C
Relative Humidity	595 %
Ambient Air Temperature For Storage	2030 °C
Storage Relative Humidity	595 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	140 cm	
Package 1 Width	108 cm	
Package 1 Length	84 cm	
Package 1 Weight	785 ka	

Contractual warranty

Warranty

18 months repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information