

Product data sheet

Specifications



SE Easy UPS, 500VA, Floor/Wall Mount, 230V, 4x AS3112 Australian outlets, AVR

BVS500I-AZ

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Product or component type	Uninterruptible power supply (UPS)
Cable length	1.52 m
Battery type	Lead-acid battery Sealed rechargeable Internal battery
Range of product	Easy UPS 1Ph BVS Series

Complementary

Display type	LED indicator
Type of signal	Sine wave
Transfer time	6 ms typical : 10 ms maximum
Network frequency	50...60 Hz
Power range	500 VA
Electrical connection	Output: 4 outlet Australian Input: 1 cable
Local signalling	Alarm, distinctive for low battery Alarm, continuous or intermittent tone for overload LCD display for status and alert
Charging time	8 h
Net weight	3.9 kg
Height	9.25 cm
Width	16.05 cm
Depth	30.5 cm

Environment

Relative humidity	0...90 %, non-condensing
Operating altitude	0...1968.3 m
Ambient air temperature for operation	0...40 °C
Standards	EN/IEC 62040-1:2019/A11:2021 EN/IEC 62040-2:2006/AC:2006 EN/IEC 62040-2:2018
Product certifications	CE RCM

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Physical

Mounting support	Wall-mount
------------------	------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.362 cm
Package 1 Width	1.422 cm
Package 1 Length	3.734 cm
Package 1 Weight	4.2 kg
SCC14	10731304346453

Contractual warranty

Warranty	2 years
----------	---------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information