

Easy Rack PDU, Basic, 1U, 1 Phase, 2.3kW, 230V, 10A, 6 SCHUKO and 1 C13 outlets, IEC60320 C14 inlet

EPDU1010B-SCH

Overview

Lead time Usually in Stock

Main

Colour	Black		
product or component type	PDU		
PDU type	Basic		
Cord length	2.5 m		
Number of cables	1		
Provided equipment	Installation guide Toolless mounting kit Rack mounting brackets		

Complementary

Input Voltage	200240 V	
Height	44.4 mm	
Width	482 mm	
Output Voltage	200240 V	
Depth	44.4 mm	
net weight	0.6 kg	
mounting location	Front Rear	
Mounting preference	No preference	
Input Plug Type	IEC 320 C14 10 A	
mounting mode	Rack-mounted	
Rack units	1U	
Mounting position	Horizontal	
Input current limits	10 A	
Load capacity	2300 VA	
Network frequency	50/60 Hz	
Number of input connectors	input connectors 1	
Outlet type and quantity	6Schuko CEE 7 10 A 1IEC 320 C13 10 A	

Environment

Product certifications	CE
Ambient air temperature for operation	-545 °C
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.000000000015240.000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	150 mm
Package 1 Width	80 mm
Package 1 Length	560 mm
Package 1 Weight	1.1 kg

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information