Product data sheet

Specifications



① Discontinued

MGE Galaxy 5500 Battery Module cabinet L1000A

G55TBATL10A

Installation guide User manual

- () Discontinued on: Jul 5, 2021
- (!) End-of-service on: Oct 18, 2023

Overview	
Presentation	Matching battery cabinet for extended runtime options. Cabinet includes batteries, Cabling for side by side configuration, DC breaker and temperature sensor.
Lead time	Usually Ships within 2 Weeks
Main	
Battery type	Lead-acid battery
provided equipment	Installation guide

Batteries & Runtime

Battery location	Battery cabinet
Number of battery blocks per string	36
Number of battery free slots	0
Number of battery filled slots	0
Battery manufacturer	Exide/Yuasa
device mounting	Enclosed battery cabinet
Battery voltage	490 V

Physical

Colour	Grey
Height	190 cm
Width	101 cm
Depth	82 cm
net weight	1200 kg
mounting mode	Not rack-mountable

Conformance

Standards	ISO 14001 ISO 9001
Product certifications	TÜV

Environmental

Ambient air temperature for 0...40 °C operation

Operating altitude	03333 ft
Relative humidity	590 %
Ambient air temperature for storage	-2045 °C
Storage altitude	0.0000000009144.000000000 m
Storage Relative Humidity	590 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	193 cm
Package 1 Width	83.8 cm
Package 1 Length	106 cm
Package 1 Weight	1230 kg

Contractual warranty

Warranty

1 year repair or replace

2

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Will be compliant - Date to be confirmed