

# MGE Galaxy 5500 Battery C.B Box 40KVA greater than 10 mn

G55TD40B2

- Discontinued on: Nov 22, 2021
- ! End-of-service on: Oct 18, 2023

#### (!) Discontinued

#### Overview

Presentation	Wall mounted battery circuit breaker box that includes DC breaker.
Lead time	Usually Ships within 2 Weeks

#### Main

Battery type	External battery system	
Provided equipment	Installation guide User manual	

#### **Batteries & Runtime**

Number of battery free slots	0
Number of battery filled slots	0
device mounting	Enclosed battery cabinet
Battery power in VAh	0 VAh

## **Physical**

Height	60 cm
Width	40 cm
Depth	22.4 cm
net weight	15 kg
mounting mode	Not rack-mountable

#### **Conformance**

Standards	EN/IEC 62040-1-1 EN/IEC 62040-3 FCC part 15 class A IEC 60950 IEC 61000-3-3 IEC 62040-1-2 IEC 62040-2 ISO 14001 ISO 9001
Product certifications	CE TÜV VDE

#### **Environmental**

Ambient air temperature for	040 °C		
operation			

Relative humidity	095 %
Ambient air temperature for storage	-2045 °C
Storage altitude	0.00000000003048.0000000000 m
Storage Relative Humidity	095 %

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	80 cm
Package 1 Width	43 cm
Package 1 Length	60 cm
Package 1 Weight	35 kg

# **Contractual warranty**

Warranty

<sup>1</sup> year on-site repair or replace with factory authorized Start-Up, 1 year (parts only)

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

**Eu Rohs Directive** 

Under investigation