

Product data sheet

Specifications



OptiLine45-servicebox-pre-wiredwith6frenchoutlets-polarwhite

ISM20341P

 **Discontinued on:** Jun 30, 2023

 **Discontinued**

Main

Range of product	OptiLine 45
Range	OptiLine
cabling installation system	Service box
product type	Service box
Type of service box	Pop-up
configuration	Pre-wired, with outlets, cable and plug
outlet range	Altira

Complementary

Number of power socket outlets	6 x standard power socket side earth
colour	Polar white
Material	Aluminium anodized
quantity package 1 / unit	1 piece
Height	325 mm
Diameter	236 mm

Environment

Standards	73/23/EEC 93/68/EEC EN-AW-6063 SS 424 10 32
operating temperature	-25...60 °C
IP degree of protection	IP30

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	32.5 cm
Package 1 Width	23.6 cm
Package 1 Length	23.6 cm
Package 1 Weight	5.45 kg
Unit Type of Package 2	P12

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	12
Package 2 Height	50.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	79.8 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information