

# Product data sheet

Specifications

## APC Black Rackmount Performance SurgeArrest 9 Outlet 120V



NET9RMBLK

⚠ Discontinued on: Apr 24, 2024

⚠ To be end-of-service on: Apr 30, 2025

⚠ Discontinued - Service only

### Overview

Lead Time Usually in Stock

### Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable Length	4.57 m
Number Of Cables	1
Provided Equipment	Cord management rails Plug pull protectors Rack mounting brackets User manual

### Physical

Colour	Black
Height	4.4 cm
Width	48.3 cm
Depth	14.6 cm
Net Weight	2.18 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

### Input

Maximum Line Current	15 A
Network Frequency	50/60 Hz +/- 5 Hz auto-sensing
Maximum Input Current	15 A
Switching Current Capacity	15 A

### Output

Number Of Power Socket Outlets	9
Outlet Standard	NEMA 5-15R

### Conformance

UI 1449 Tvss Rating	330
---------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product Certifications	CSA UL listed
Standards	UL 1283 UL 1449
Equipment Protection Policy	Lifetime : \$25000

## Environmental

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

## Surge Protection and Filtering

Response Time	0 ns common mode
Common Mode Rejection	90 dB
Peak Current	40 kAcommon mode 26 kAnormal mode
Surge Energy Rate	2770 J

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7 cm
Package 1 Width	34.3 cm
Package 1 Length	48.3 cm
Package 1 Weight	2.77 kg
Scc14	10731304248627

## Contractual warranty

Warranty	Limited Lifetime
----------	------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

## Well-being performance

✓ Reach Free Of Svhc

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)