

Product data sheet

Specifications



APC Essential SurgeArrest, 4 outlet, wall mount

P4

⚠ Discontinued on: Jun 15, 2022

⚠ Discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage 120 V

Input Connection Type NEMA 5-15P

Provided equipment User manual

Physical

Colour Black

Height 14.6 cm

Width 4.4 cm

Depth 6.4 cm

net weight 0.2 kg

Mounting preference No preference

mounting mode Not rack-mountable

Input

Maximum line current 15 A

Network frequency 50/60 Hz

Output

Number of power socket outlets 4

Outlet standard NEMA 5-15R

Conformance

UL 1449 TVSS rating 330

Product certifications cUL recognized

Standards UL 1449

Equipment protection policy Lifetime : \$25000

Environmental

Ambient air temperature for operation 0...40 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Surge Protection and Filtering

EP joule rating	700 J
Response time	0 ns common mode
Common mode rejection	20 dB
Surge energy rate	680 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
SCC14	10731304206566

Contractual warranty

Warranty	Limited Lifetime
----------	------------------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

	Mercury Free	
	Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions	
Circularity Profile	End of Life Information	