

Product data sheet

Specifications



APC Essential Surgearrest 4 outlet 230V VN/TH/PH

P4E-TH

⚠ Discontinued on: Jul 16, 2021

⚠ Discontinued

Overview

Lead time Usually in Stock

Main

Input Connection Type	NEMA 5-15P
Cable length	1.8 m
Number of cables	1
Provided equipment	User manual

Physical

Colour	White
Height	3.8 cm
Width	4.9 cm
Depth	27 cm
net weight	0.4 kg
Mounting preference	No preference
mounting mode	Not rack-mountable

Input

Network frequency	50/60 Hz
Maximum input current	10 A
Switching current capacity	10 A

Output

Number of power socket outlets	4
outlet standard	Universal

Conformance

Equipment protection policy No EPP for ASEAN

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for storage	-15...45 °C
Storage Relative Humidity	0...95 %

Surge Protection and Filtering

Response time	1 ns common mode
Peak current	15 kAcommon mode 15 kAnormal mode
Surge energy rate	600 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	15.5 cm
Package 1 Length	37 cm
Package 1 Weight	0.519 kg
SCC14	10731304292194

Contractual warranty

Warranty	10 years repair or replace
----------	----------------------------

Sustainability



Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

	Mercury Free	
	Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions	
Circularity Profile	End of Life Information	