

Product data sheet

Specifications



APC Essential SurgeArrest, 6 outlets, 4 ft cord, metal housing, 120V

P6M

⚠ Discontinued on: Feb 9, 2022

⚠ Discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	1.2 m
Number of cables	1

Physical

Colour	Grey
Height	31.1 cm
Width	6.3 cm
Depth	3.8 cm
net weight	0.7 kg
Mounting preference	No preference
mounting mode	Not rack-mountable

Input

Input power	1875 W
Network frequency	50/60 Hz +/- 3 Hz auto-sensing
Maximum input current	15 A
Switching current capacity	15 A

Output

Number of power socket outlets	6
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS rating	330
Equipment protection policy	Lifetime : \$25000

Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %
Operating altitude	0...50000 ft
Ambient air temperature for storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Surge Protection and Filtering

Surge energy rate	540 J
-------------------	-------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	33.5 cm
Package 1 Width	10 cm
Package 1 Length	116.8 cm
Package 1 Weight	0.798 kg
SCC14	10731304248276

Contractual warranty

Warranty	Limited Lifetime
----------	------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov