

Product data sheet

Specifications



APC Essential SurgeArrest 6 Outlet Wall Mount With USB, 120V

P6WU2

⚠ Discontinued on: Feb 14, 2024

⚠ To be discontinued

Overview

Lead Time Usually in Stock

Main

Main Input Voltage 120 V

Input Connection Type NEMA 5-15P

Provided Equipment User manual
USB power adapter

Physical

Colour Beige

Height 10.2 cm

Width 3.8 cm

Depth 14 cm

Net Weight 0.25 kg

Mounting Preference No preference

Mounting Mode Not rack-mountable

Input

Input Power 1200 W

Maximum Line Current 15 A

Network Frequency 50/60 Hz +/- 5 Hz auto-sensing

Maximum Input Current 15 A

Switching Current Capacity 15 A

Output

Number Of Power Socket Outlets 6

Outlet Standard NEMA 5-15R

Conformance

UI 1449 Tvss Rating 400

Product Certifications ETL

Equipment Protection Policy Lifetime : \$50000

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Surge Protection and Filtering

Response Time	1 ns common mode
Common Mode Rejection	40 dB
Peak Current	72 kAcommon mode 60 kA per phase normal mode
Surge Energy Rate	1080 J

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	24.1 cm
Package 1 Width	19.7 cm
Package 1 Length	5.7 cm
Package 1 Weight	0.26 kg
Scc14	10731304331824

Contractual warranty

Warranty	Limited Lifetime
----------	------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Lead Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant with Exemptions

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov