Product data sheet

Specifications



① Discontinued

APC Essential SurgeArrest, 7 outlet

P74

- () Discontinued on: Oct 4, 2021
- (!) End-of-service on: Nov 12, 2022

Overview

Lead time

Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	1.2 m
Number of cables	1
Provided equipment	User manual

Physical

•	
Colour	Charcoal
Height	31.8 cm
Width	7.6 cm
Depth	3.6 cm
net weight	0.45 kg
Mounting preference	No preference
mounting mode	Not rack-mountable

Input

Maximum line current	15 A
Network frequency	50/60 Hz +/- 5 Hz auto-sensing

Output

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS rating	330	
Equipment protection policy	Lifetime : \$25000	

Environmental

Ambient air temperature for 0...40 °C operation

Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C
Storage Relative Humidity	095 %
Storage altitude	0.00000000015240.000000000 m

Surge Protection and Filtering

Response time	0 ns common mode
Common mode rejection	20 dB
Peak current	30 kAcommon mode 10 kAnormal mode
Surge energy rate	840 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	35.3 cm
Package 1 Width	3.9 cm
Package 1 Length	13.3 cm
Package 1 Weight	0.6 kg
SCC14	10731304200731

Contractual warranty

Warranty

Limited Lifetime

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions
Circularity Profile	End of Life Information