Specifications



Power Dist, Mod. 3X1 Pole 3 Wire RCD 16A 3XIEC309 480cm, 540cm, 600cm

PDM2316IEC-3P30R-2

() Discontinued

() Discontinued on: Dec 20, 202	23
---------------------------------	----

(!) End-of-service on: Feb 21, 2024

-		
Ove	rvi	ew

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead time	Usually Ships within 3 Weeks

Main

Main Input Voltage	400 V 3 phases
Main Output Voltage	230 V
provided equipment	Installation guide

Physical

Colour	Grey
Height	25.4 cm
Width	43.2 cm
Depth	40.6 cm
net weight	6.8 kg

Input

Network frequency	50 Hz
Max line current	16 A

Output

Max current draw	16 A
Number of power socket outlets	3 IEC 309 16 A

Conformance

Product certifications CE VDE

Environmental

Ambient air temperature for operation	030 °C
Relative humidity	095 %
Operating altitude	010000 ft

Ambient air temperature for storage	-1540 °C
Storage Relative Humidity	095 %
Storage altitude	0.0000000004572.000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	25.4 cm
Package 1 Width	40.6 cm
Package 1 Length	43.2 cm
Package 1 Weight	7.7 kg

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

EQ

Guide to assess a product's sustainability >



()

Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Yes