

# Product data sheet

Specifications



## APC IT Power Distribution Module 2 Pole 3 Wire 30A L1-L2 L6-30 1680CM

PDM2330L6-12-1680

### Overview

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead Time	Usually Ships within 3 Weeks

### Main

Main Input Voltage	208 V
Main Output Voltage	208 V
Provided Equipment	Installation guide

### Physical

Colour	Black
Height	25.4 cm
Width	43.2 cm
Depth	40.6 cm
Net Weight	6.8 kg

### Input

Network Frequency	60 Hz
Max Line Current	30 A

### Output

Max Current Draw	30 A
Number Of Power Socket Outlets	1 NEMA L6-30R

### Conformance

Product Certifications	UL listed
------------------------	-----------

### Environmental

Ambient Air Temperature For Operation	0...30 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...40 °C
Storage Relative Humidity	0...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Altitude	0.00...4572.00 m
------------------	------------------

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	25.4 cm
Package 1 Width	40.6 cm
Package 1 Length	43.2 cm
Package 1 Weight	7.7 kg

## Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

# Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back   Transparency   RoHS/REACH

## Resource performance

 Take-Back Program Available

## Well-being performance

 Mercury Free

 Rohs Exemption Information   [Yes](#)

## Certifications & Standards

Reach Regulation   [REACH Declaration](#)

Eu Rohs Directive   Compliant with Exemptions

Environmental Disclosure   [Product Environmental Profile](#)

Circularity Profile   [End of Life Information](#)